Gigaset

S810 - S810A

Congratulations

By purchasing a Gigaset, you have chosen a brand that is fully committed to sustainability. This product's packaging is eco-friendly!

To learn more, visit www.gigaset.com.



Gigaset S810/S810A - more than just a telephone

Your telephone sets new standards for the way you communicate at home.

The configuration and user interface of the cordless phone are excellent, providing you with first-class voice quality in handsfree mode, while the various interfaces (Bluetooth, USB) offer you enormous flexibility.

The large TFT display, user-friendly keypad and clearly laid out menu are very simple to use.

Your phone can do a whole lot more:

- Communicate cordlessly via Bluetooth™ with other devices (e. g. headsets), which also use this technology.
- You can synchronise your directories on your telephone, mobile phone and PC via Bluetooth™ or the USB port using the Gigaset QuickSync software (→ page 86).
- You can save appointments (→ page 60) and anniversaries, e.g., birthdays
 (→ page 39), in your phone and it will remind you of them in advance.
- You can designate important people as VIPs to identify important calls from the ringtone (→ page 36).
- You can assign a picture to entries in the directory in future the picture will appear every time you receive a call from this number (→ page 36).
- If you do not want to take calls where the caller has withheld their number, just set your handset to only ring if Calling Line Identification has not been withheld (→ page 73).
- ◆ If you do not wish to be disturbed, you can simply set up a time control so that your phone will only ring when it is convenient (→ page 73). VIP calls are still connected.
- You can assign important numbers to the number keys on your phone.
 The number is then dialled by simply pressing a key (→ page 69).
- ◆ Adapt your Gigaset to suit your handsfree requirements (→ page 72).
- ◆ View your personal pictures as a screensaver slide show (→ page 70).
- ◆ You can set the display to large font to increase readability in particularly important situations (e.g., the directory and lists) (→ page 71).
- You can adapt the menu display to suit your individual requirements so that only the most important functions (standard mode) or all functions (expert mode
 i) are displayed (→ page 26). Menu options that are only available in expert mode are marked with the ii icon.
- Gigaset Green Home Be environmentally aware when using your phone.
 Details about our ECO DECT products can be found at www.gigaset.com/service.

You can find additional information about your phone at www.gigaset.com/gigasets810.

Have fun using your new phone!

The handset at a glance



- 1 Display in idle status
- 2 Battery charge status (→ page 17)
- 3 Side keys

Set call (→ page 71) or ringtone volume (→ page 72)

- 4 Display keys (→ page 21)
- 5 Message key (→ page 41) Access to call and message lists; Flashes: new message or new call

6 End call key, On/Off key

End call, cancel function, go back one menu level (press briefly), back to idle status (press and hold), activate/deactivate handset (press and hold in idle status)

7 Hash kev

Keypad lock on/off (press and hold in idle status);

toggles between upper/lower case and digits

8 Mute key (→ page 32) Mute the microphone

9 Microphone

- 10 Recall key
 - Consultation call (flash)
 - Insert a dialling pause (press and hold)

11 Star key

Ringtone on/off (press and hold); with an open connection: switch between pulse dialling/tone dialling (press briefly); text input: open table of special characters

- 12 Headset socket (→ page 18)
- 13 Key 1

Dial answering machine (S810A only)/ network mailbox (press and hold)

14 Talk key

Flashes: incoming call; Accept a call; open redial list (press briefly); start dialling (press and hold); When writing an SMS: send SMS


15 Handsfree key

Switch between earpiece and handsfree mode

- 16 **Control key** (→ page 20)
- 17 Signal strength (→ page 17)
 Green: Eco Mode (→ page 59) activated
- 18 Answering machine symbol (S810A only)
 Answering machine switched on;
 Flashes: answering machine is recording a
 message or is being operated by another internal party

Display symbols

The following symbols are displayed dependent on the settings and the operating status of your telephone:



Signalling

External call (\rightarrow page 30) Internal call (\rightarrow page 63) recording (\rightarrow page 52)

((\bigtriangleup)) ((\odot))

Anniversary (\rightarrow page 60) Appointment (\rightarrow page 60)

((\circlearrowleft)) ((\circlearrowleft))


Answering machine is

The base at a glance

You can use the keys on the base to register handsets to the base, search for handsets (paging), (→ page 63) and operate the integrated answering machine (Gigaset S810A only).

Gigaset S810A base





1 Registration/Paging key

Press **briefly**: search for handsets (paging) (→ page 63).

Press and **hold**: register handsets and DECT devices (→ page 62).

2 On/Off key

Activating/deactivating the answering machine.

3 Display

Lights up: answering machine is activated. The number of saved messages is displayed. **00 flashes:** the answering machine is recording a new message.

Flashes slowly: there are new messages. The number of new messages is displayed.

99 flashes quickly: the answering machine is full.

During message playback:

4 Play/Stop key

Play back new messages from answering machine or cancel playback (press **briefly**). Play back new and old messages (press and **hold**).

- 5 Skip to next message (press once) or skip ahead two messages (press twice).
- 6 Skip back five seconds (press briefly once), skip back to the beginning of the message (press and hold) or skip back to the previous message (press twice).
- 7 Delete current message.
- 8 Adjust volume during message playback: = quieter; + = louder.
 While an external call is being signalled: adjust ringtone volume.

Please note:

If the answering machine is being operated from a handset or if it is recording a message (00 flashes), it cannot be operated from the base at the same time.

Gigaset S810 base



Registration/Paging key

- Press briefly: search for handsets (paging)
 page 63.
- Press and hold: register handsets and DECT devices (> page 62).

Contents

Gigaset 58 10/58 10A – more than just a telephone	. 1
The handset at a glance	
Display symbols	. 3
The base at a glance	. 4
Safety precautions	. 8
First steps	. 9
Checking the package contents	
Setting up the base and charger (if included)	
Connecting the base	
Connecting the charger (if included)	
Changing the display language	
Setting the date and time	
Connecting the headset	
Connecting the USB data cable	
What would you like to do next?	19
Using the phone	
Control key	
Display keys	
Keys on the keypad	
Correcting incorrect entries	
Using the menus	
Activating/deactivating the handset	
Activating/deactivating the keypad lock	
Using this guide	24
Menu overview	26
Making calls	29
Making an external call	
One Touch Call	
Ending a call	
Calling Line Identification	
Notes on calling line display (CLIP)	
Handsfree mode	
Switching to mute	32
Making calls using network services	
Ringback	
Call waiting during an external call	
Call divert (CD)	34

Contents

Consultation call, call swap, conference	34
Using the directory and lists	
Directory	
Redial list	
Incoming SMS message list	
Call lists	
Message key function	
List of missed alarms	
Making cost-effective calls	43
Automatic network provider code (preselection)	43
SMS (text messages)	44
Writing/sending an SMS	44
Receiving an SMS	
SMS with vCard	
SMS mailboxes	
Setting SMS centres	
SMS services	
SMS on a PABX	
Activating/deactivating SMS function	
SMS troubleshooting	
Operating the Gigaset S810A base answering machine Operating via the handset	
Activating/deactivating call screening	
Setting the recording parameters	
Resetting fast access for the answering machine using key 1	56
Operating when on the move (remote operation)	56
Using the network mailbox	58
Configuring fast access for the network mailbox	
Viewing the network mailbox message	
ECO DECT	59
Setting an appointment (calendar)	60
Displaying missed appointments, anniversaries	
Setting the alarm clock	
Using multiple handsets	62
Registering handsets	
De-registering handsets	
Locating a handset ("Paging")	
Making internal calls	
Listening in to an external call	
Changing the name of a handset	65

Changing a handset's internal number	65
Using a handset as a room monitor (Babyphone)	66
Using Bluetooth devices	67
Handset settings Quick access to numbers and functions Changing the display language Setting the display Setting keypad illumination Activating/deactivating auto answer Changing the speaker/earpiece volume Setting a handsfree profile Changing ringtones Resource Directory Activating/deactivating advisory tones Setting your own area code Restoring the handset default settings	69 70 71 71 72 72 74 75
Setting the base Changing the base Gigaset S810A ringtones Activating/deactivating music on hold Repeater support Protecting against unauthorised access Resetting the base to the factory settings	76 76 76 77
Connecting the base to the PABX Recall Saving an access code (outside line code) Setting pauses	78 78 78
Customer Service & Assistance Questions and answers Authorisation	80
Protecting our environment	82
Appendix Caring for your telephone Contact with liquid Specifications Writing and editing text	83 83 83
Additional functions via the PC interface	86
Accessories	88
Mounting the base on the wall (Gigaset S810 only)	91
Mounting the charger on the wall	91
Index	

Safety precautions

Warning

Be sure to read this user guide and the safety precautions before using your telephone Explain their content and the potential hazards associated with using the telephone to your children.



Use only the power adapter supplied, as indicated on the underside of the base.



Use only **rechargeable batteries** that correspond to the **specification provided on page 83**, as this could otherwise result in significant health risks and personal injury.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment e.g., doctor's surgery. If you use a medical device (e.g. a pacemaker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high-frequency energy. Please refer to the "Appendix" chapter for the specifications of this Gigaset product.



Do not hold the rear of the handset to your ear when it is ringing or when handsfree mode is activated. Otherwise you risk serious and permanent damage to your hearing.

Your Gigaset is compatible with the majority of digital hearing aids on the market. However, perfect function with all hearing aids cannot be guaranteed.

The handset may cause an unpleasant humming or whistling noise in hearing aids or cause them to overload. If you require assistance, please contact the hearing aid supplier.



Do not install the base or charger in bathrooms or shower rooms. The base and charger are not splashproof (\rightarrow page 83).



Do not use your phone in environments with a potential explosion hazard (e.g., paint shops).



If you give your Gigaset to a third party, make sure you also give them the user guide.



Remove faulty bases from use or have them repaired by our Service department, as they could interfere with other wireless services.

Please note

- ◆ Not all of the functions described in this user guide are available in all countries.
- The device cannot be used in the event of a power failure. It is also not possible to transmit emergency calls.

First steps

Checking the package contents



- One Gigaset S810/S810A base
- 2 One power adapter
- 3 One Gigaset S810H handset
- 4 One phone cord
- 5 Two batteries
- 6 One battery cover
- 7 One belt clip
- 8 One plastic headset socket cover
- 9 One user guide

If you have purchased a model with multiple handsets the package should contain two batteries, a battery cover, a belt clip and a charger 9 with power adapter 10 for each additional handset.



Setting up the base and charger (if included)

The base and charger are designed for use in dry rooms in a temperature range of $+5^{\circ}$ C to $+45^{\circ}$ C.

Set up the base at a central point in the building on a level, non-slip surface or mount the base (Gigaset S810 only) or charger on the wall (→ page 91).

Please note

Pay attention to the range of the base.

This is up to 300 m in unobstructed outdoor areas and up to 50 m inside buildings. The range is reduced when Eco Mode (→ page 59) is activated.

The phone's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on today's furnishings, the occurrence of marks on the surfaces cannot be completely ruled out.

Please note:

- Never expose the telephone to the influence of heat sources, direct sunlight or other electrical devices.
- ◆ Protect your Gigaset from moisture, dust, corrosive liquids and fumes.

Connecting the base


- First connect the telephone jack 2 and insert the cables into the cable ducts.
- ▶ Then connect the power adapter 1.



Please note:

- The power adapter must always be connected, as the phone will not operate without a mains connection.
- ◆ Use only the power adapter and phone cord supplied. Pin connections on telephone cables can vary (pin connections → page 84).

Connecting the charger (if included)



- ► Connect the flat plug from the power adapter ■.
- Plug the power adapter into the plug socket 2.

To disconnect the plug from the charger, press the release button 3 and disconnect the plug 4.



Setting up the handset for use

The display and keypad are protected by plastic films. Remove the protective films!

Inserting the batteries and closing the battery cover

Warning

Use only rechargeable batteries recommended by Gigaset Communications GmbH (\Rightarrow page 83), i.e., Never use conventional (non-rechargeable) batteries, as this could result in significant health risks and personal injury. For example, the outer casing of the batteries could be damaged or the batteries could explode. The phone could also malfunction or be damaged as a result of using batteries that are not of the recommended type.

 Insert the batteries with the polarity in the correct direction.
 The polarity is indicated in/on the battery compartment.





- First insert the battery cover at the top (a).
- ▶ Then press the cover ⓑ until it clicks into place.

To open the battery cover, for instance to replace the batteries, insert a coin into the cavity on the left-hand side of the casing, then pull the battery cover in an upward direction.



▶ Insert the plastic cover provided for the headset socket to ensure optimum sound in handsfree mode.



Attaching the belt clip

The handset has notches on each side to attach the belt clip.

- ▶ To attach press the belt clip onto the back of the handset so that the protrusions on the belt clip engage with the notches.
- ▶ To remove press the centre of the belt clip firmly with your right thumb, push the fingernail of your left index finger up between the clip and the housing and pull the clip in an upward direction.



First battery charge and discharge

The correct charge status can only be displayed if the batteries are first fully charged **and** discharged.

▶ Charge the handset in the base for **8.5 hours**.



Please note

The handset must only be placed in the designated Gigaset S810/S810A base or charging cradle.


▶ After charging, remove the handset from the base and only replace it when the batteries are **fully discharged**.

Please note

- ◆ Each handset is registered with the base at the factory. You do not need to register the handset again. If you wish to use your handset with a different base or use further handsets with your base, you will need to register the handset manually (→ page 62).
- After the initial battery charge and discharge, you may place your handset in the base after every call.
- Always repeat the charging and discharging procedure if you remove the batteries from the handset and reinsert them.
- ◆ The batteries may warm up during charging. This is not dangerous.
- After a while, the charge capacity of the batteries will decrease for technical reasons.

Changing the display language

Change the display language if you do not understand the language currently set.



Press right on the control key.



▶ Slowly press keys 9wxvz and 5 JKL one after the other.




The display for setting languages appears. The current language (e.g. English) is



▶ Press down on the control key 🖵 ...



... until the language you wish to use is marked, e.g., French.





The selection is marked with .

▶ Press and **hold** the end call key 🕤 to return to idle status.

Setting the date and time

Set the date and time so that the correct date and time can be assigned to incoming calls, and so that the alarm can be used.



Press the key below Time on the display screen to open the input field.
 (If you have already set the time and date, open the input field via the menu → page 28.)



The **Date/Time** submenu is shown on the display.

► The active input position flashes. Enter day, month and year as an 8-digit number via the keypad, e.g., 1 □ 4 □ 1 □ 0 + 2 □ 0 + 1 □ 1 □ for 14/10/2011.



Press the **right** or **left** control key to change the input position and correct an entry.





Press down on the control key to switch to the time input field.

Enter the hours and minutes in 4-digit format via the keypad, e.g., 0 + 7 points 1 co 5 Jet. 1 for 07:15 am. Change the input position with the control key if necessary.





Press the key below Save on the display screen to confirm your entry.



The display shows **Saved**. You will hear a confirmation tone and the handset will automatically return to idle status.

Display in idle status

Once the phone is registered and the time is set, the idle display is shown as in this example. If the answering machine is activated, the answering machine icon \circ is displayed in the header.

Displays

- Reception between the base and the handset:
 - Poor to good: **↑ 11 ↑ 1 ↑ 1**
 - No reception: (*)

Green: Eco Mode activated (→ page 59)

- ◆ Battery charge status:
 - white: charged over 66%
 - white: charged between 34% and 66%
 - white: charged between 11% and 33%
 - red: charged below 11%
 - flashes red: battery almost empty (less than 10 minutes talktime)
 - **f** f f white: battery charging

Please note

If you have chosen a colour scheme with a white background, the white symbols are displayed in black.



♦ INT 1

Internal name of the handset (→ page 65)

If **Eco Mode**+ (→ page 59) is activated, the **(** icon is displayed in the top left corner of the display.

Your answering machine is set with a pre-recorded announcement.

Your phone is now ready for use!

Connecting the headset



After removing the plastic cover, you can connect a headset to the left-hand side of your telephone with the 2.5 mm jack connector.

See the relevant product page at <u>www.gigaset.com</u> for information on recommended headsets.

The headset volume corresponds to the settings for the handset volume (\rightarrow page 71).

After using the headset, replace the plastic cover to enable optimum sound in handsfree mode.

Connecting the USB data cable

You can connect a standard USB data cable with a mini-B connector to the back of your handset to connect the handset to a PC (→ page 86).

- ▶ Remove the belt clip (if attached)(→ page 13).
- ▶ Remove the battery cover (→ page 12).
- Connect the USB data cable to USB socket 1.

Please note

Please connect your handset **directly** to the PC; do **not** connect via a USB hub.



What would you like to do next?

Now you have successfully set up your Gigaset, you will certainly want to adapt it to your personal requirements. Use the following guide to quickly locate the most important topics.

If you are unfamiliar with menu-driven devices such as other Gigaset telephones, read the section entitled "Using the phone" (→ page 20) first.

Information on	is located here.
Setting the ringtone and volume	page 72
Setting the earpiece volume	page 71
Recording your own announcement for the answering machine	page 52
Setting Eco Mode / Eco Mode+	page 59
Preparing the telephone for SMS reception	page 44
Operating the telephone on a PABX	page 78
Registering existing Gigaset handsets to a base	page 62
Transferring directory entries from existing Gigaset handsets to new handset(s)	page 38
Using Bluetooth devices	page 67
Connecting the phone to the PC	page 86

If you have any questions about using your phone, please read the tips on troubleshooting (→ page 81) or contact our Customer Care team (→ page 80).

Using the phone

Control key

Below, the side of the control key that you must press in the respective operating situation is marked in black (top, bottom, right, left, centre), e.g., for "press right on the control key" or for "press the centre of the control key".



The control key has a number of different functions:

When the handset is in idle status

- Open the directory.
- Open the main menu.
- Open the list of handsets.
- Call up the menu for setting the handset's call volume (→ page 71).

In the main menu

(a), (□), (□) or (□)

Navigate to the required function.

In submenus and lists

Ĉ / ♥ Scroll up/down line by line.

In input fields

Use the control key to move the cursor up 🖨, down 🖵, right 🕩 or left 🕣. Press and **hold** 🕒 or 🕣 to move the cursor **word by word**.

During an external call

- Open the directory.
- Initiate an internal consultation call.
- Adjust the loudspeaker volume for earpiece and handsfree mode.

Functions when pressing the middle of the control key

Depending on the operating situation, the key has different functions.


- ◆ In idle status the key opens the main menu.
- ♦ In submenus, selection and input fields, the key takes on the function of the display keys OK, Yes, Save, Select or Change.

Please note

These instructions demonstrate the main menu being opened by pressing the right of the control key and functions being actuated by pressing the appropriate display key. However, if you prefer, you can use the control key as described above.

Display keys

The functions of the display keys change depending on the particular operating situation. Example:



Some important display keys:

Options Open a menu for further functions.

OK Confirm selection.

ODelete key: delete character by character/word by word from right to left.

Back Go back one menu level or cancel operation.

Save Store entry.

 $\rightarrow \rightarrow$ Open the redial list.

→ ○ Forwarding a call to the answering machine.

Keys on the keypad

/ 0 + / ★ △ etc.

Press the matching key on the handset.



Enter digits or letters.

Side keys

+/-

Press the keys on the right of the handset to set the volume for the handset, ringtone, speaker, alarm, signalling of appointments and the headset depending on the situation.

Correcting incorrect entries

You can correct incorrect characters in the input fields by navigating to the incorrect entry using the control key. You can then:

- Delete the character to the left of the cursor with the display key < (press and hold to delete the word)
- Insert characters at the cursor position
- Overwrite the highlighted (flashing) character, e.g., when entering time and date.

Using the menus

Your telephone's functions are accessed using a menu that has a number of levels.

The menu display can be extended (**expert mode** (**standard mode**). Expert mode is the active default setting.

Settings or functions that are only available in expert mode are marked in these instructions by the (a) icon.

Switching between standard mode/expert mode and the menu overview (→ page 26).

Main menu (first menu level)

▶ When the handset is in idle status press the **right** control key 🕞 to open the main menu.

The main menu functions are shown in the display with icons. The icon for the selected function is highlighted in orange and the name of the associated function appears in the display header.

To access a function, i.e., to open the corresponding submenu (next menu level):

▶ Use the control key 🔁 to select the required function and press the display key OK.

Briefly press the display key Back or the end call key to revert back to idle status.



Submenus

The functions in the submenus are displayed as lists (example on the right).

To access a function:

Scroll to the function with the control key and press .

Briefly press the display key Back or the end call key to return to the previous menu level/cancel the operation.



Reverting to idle status

You can revert to idle status from anywhere in the menu as follows:

▶ Press and **hold** the end call key <a>ਿ.

or:

▶ Do not press any key: after 2 minutes the display will **automatically** revert to idle status.

Settings that have not been saved by selecting the display keys OK, Yes, Save or Change are lost.

An example of the display in idle status is shown on page 17.

Activating/deactivating the handset

•

With the phone in idle status, press and **hold** the end call key (confirmation tone) to switch off the handset.

Press and **hold** the end call key again to switch the handset on.

Please note

When the handset is switched on, an animation showing the **Gigaset** logo is displayed for several seconds.

Activating/deactivating the keypad lock

The keypad lock prevents any inadvertent use of the phone.

⊷

Press and **hold** the hash key in idle status to activate or deactivate the keypad lock. You will hear the confirmation tone.

If the keypad lock is activated, you will see a message when you press a key.

The keypad lock deactivates automatically when you receive a call. It is reactivated when the call is finished.

— Please note


When the keypad lock is active, you cannot even call emergency numbers.

Using this guide

The operating steps are shown in abbreviated form.

Example:

The illustration:



means:



▶ Press **right** on the control key **t** to open the main menu.



 Press right, left, down and up on control key to navigate to the Settings submenu.

Press the display key OK to confirm your selection.



▶ Press down on the control key ↓ until the **Eco Mode** menu option appears on the display.

Press the display key OK to confirm your selection.



▶ Press down on the control key ↓ until the **Eco Mode**+ menu option appears on the display.

▶ Press the display key Change to activate/deactivate the function.



The change is effective immediately and does not need to be confirmed.

Press the key below Back on the display screen to jump back to the previous menu level.

or

Press and **hold** the end call key **to** return to idle status.

Menu overview

Setting standard mode or expert mode


The menu display can be extended (**expert mode**) or restricted (**standard mode (Ex)**). Menu options that are only available in expert mode are marked with the **(Ex)** icon.

To change these settings:

Select → → Menu View → Simplified (standard mode) or Complete (expert mode)
→ Select (the active mode is marked with)

Open the main menu: press when the phone is in idle mode.






Bluetooth

Activation	→ page 67
Search for Headset	→ page 68
Search Data Device	→ page 68
Known Devices	→ page 68
Own Device	→ page 69

★ Additional Features



Call Lists

	1
All Calls	→ page 40
Outgoing Calls	→ page 40
Accepted Calls	→ page 40
Missed Calls	→ page 40

✓ SMS


You have activated an SMS mailbox (general or private) without a PIN

New SMS	→	page 44
Incoming	→	page 47
Draft	→	page 45

You have activated an SMS mailbox with a PIN or 2-3 mailboxes

Mailbox	New SMS	→ page 44
	Incoming	→ page 47
	Draft	→ page 45
Mailbox 1 Mailbox 2 Mailbox 3	New SMS	→ page 44
	Incoming	→ page 47
	Draft	→ page 45
SMS Service	→ page 50	
Settings	Service Centres	→ page 49
	SMS Mailboxes	→ page 48
	Notification	→ page 48
	Status Report	→ page 45

O Voice Mail



^{*} Base with answering machine only

Organizer

-		
Calendar	→	page 60
Alarm Clock	→	page 62
Missed Alarms	→	page 61

■ Directory

→ page 36



Settings

Jettings		
Date/Time	→ page 16	
Audio Settings	Handset Volume	→ page 71
	Handsfree Profiles	→ page 72
	Advisory Tones	→ page 75
	Ringtones(Handset)	→ page 72
	Ringtones (Base)	→ page 76
	Music on hold	→ page 76
Display + Keypad	Screensaver	→ page 70
	Large Font	→ page 71
	Colour Schemes	→ page 71
	Display Backlight	→ page 71
	Keypad Illumination	→ page 71
Language	→ page 70	
Registration	Register Handset	→ page 62
	De-reg. Handset	→ page 63
	Select Base	→ page 63
Telephony	Auto Answer	→ page 71
	Area Codes	→ page 75
	Listening In	→ page 65
	Preselection	→ page 43
	Access Code	→ page 78
	Recall	→ page 78
System	Handset Reset	→ page 75
	Base Reset	→ page 77
	Repeater Mode	→ page 76
	System PIN	→ page 77
Menu View	Simplified	→ page 26
	Complete	→ page 26
Eco Mode	Eco Mode	→ page 59
	Eco Mode+	→ page 59

Making calls

If the backlight is deactivated (→ page 71) it is switched on by pressing any key. **Digit keys** appear on the display for pre-dialling; **all other keys** do not have any further functions.

Making an external call

External calls are calls using the public telephone network.



Enter the number and press the talk key.

or:



Press and **hold** the talk key **/** and then enter the number.

You can cancel the dialling operation with the end call key .

You are shown the duration of the call while the call is in progress.

Please note

Dialling with the directory (→ page 36), call list (→ page 40), redial list

- (→ page 40) and automatic redial
- (→ page 40) saves you from repeatedly keying in phone numbers.

Continuing a call on a Bluetooth headset

Precondition: Bluetooth is activated; a connection has been established between the Bluetooth headset and the handset (→ page 67).


Press the talk key on the Bluetooth headset; it may take up to 5 seconds to establish a connection to the handset.

During the call you can adjust the volume of the earpiece and microphone with the side keys.

For further details about your headset, see the user guide issued with it.

One Touch Call

You can set up your phone in such a way that pressing **any** key dials a previously stored number. This allows children, for example, who cannot enter a number, to call a certain number.



▶ Change multiple line input:

Activation:

Select **On** to activate.

Call to:

Enter or change number.

Press Save to save the settings.

When the function is activated, the idle display appears as shown below:



By pressing any key the saved number is dialled. Press the end call key , to cancel the dialling operation or to end the call.

Deactivating the One Touch Call

- In idle status, press the display key OFF.
- ▶ Press and **hold** the hash key # → , to deactivate the One Touch Call.

Ending a call



Press the end call key.

Accepting a call

The handset indicates an incoming call in three ways: by ringing, by a display on the screen and by the flashing talk key .

Accept the call by:

- Pressing the talk key <a>C.
- ▶ Pressing the handsfree key <a> ■.
- Gigaset S810: press the display key Accept.
- Gigaset S810A: press the display key
 → ∞ to divert the call to the answering machine (→ page 55).

If the handset is in the base/charger and the **Auto Answer** function is activated (→ page 71), the handset automatically answers the call when you remove it from the base/charger.

To deactivate the ringtone, press the Silence display key. You can accept the call as long as it is displayed on the screen.

Accepting a call on a Bluetooth headset

Precondition: Bluetooth is activated; a connection has been established between the Bluetooth headset and the handset (→ page 67).

Only press the talk key on the headset when the headset rings; it can take up to 5 seconds.

During the call you can adjust the volume of the earpiece and microphone with the side keys.

For further details about your headset, see the user guide issued with it.

Calling Line Identification


When you receive a call, the caller's number is displayed on the screen if the following conditions are met:

- ◆ Your network provider supports CLIP, CLI.
 - CLI (Calling Line Identification): the caller's number is transmitted.


- CLIP (Calling Line Identification Presentation): the caller's number is displayed.
- ◆ You have requested CLIP from your network provider.
- The caller has requested CLI from the network provider.

Call display with CLIP/CLI

If the caller's number is saved in your directory, the number is replaced by the corresponding directory entry (①/ [2]/ [2] symbol and name/number). If you have assigned a caller picture to that caller, this will also be displayed.



or



- 1 Ringtone icon
- 2 合/ ២/ 包 symbol from directory
- 3 Number or name of caller

The following is displayed in place of the number:

- External, if no number is transmitted.
- Unavailable, if the caller has not arranged Calling Line Identification.

Please note

The ringtone can be switched off for unknown calls (calls with Calling Line Identification withheld) (→ page 73).

Notes on calling line display (CLIP)

By default, the number of the caller is shown in the display of your Gigaset telephone. You do not have to make any other settings on your Gigaset telephone.

However, if the caller's number is not displayed, this can be due to the following:

- You have not ordered CLIP from your network provider or
- Your telephone is connected via a PABX or a router with an integrated PABX (gateway) that does not transmit all information.

Is your telephone connected via a PABX/gateway?

You can establish this by checking for an additional device connected between your telephone and house connection, e.g., a PABX, gateway etc. In most cases, simply resetting this device will remedy the situation:

 Briefly disconnect the mains plug of your PABX. Re-insert the plug and wait for the device to restart.

If the caller number is still not displayed:

▶ Check the CLIP settings of your PABX and activate this function if necessary. In the user guide for the device, search for the term "CLIP" (or an alternative term such as "calling line identification", "phone number transmission", "caller ID", ...). If necessary, contact the device manufacturer.

If this does not resolve the problem, it is possible that your network provider does not the CLIP service for this number.

Have you ordered the calling line display service from your network provider?

 Check whether your provider supports calling line display (CLIP) and that the function has been activated for you. If necessary, contact your provider.

Additional information on this subject can be found on the Gigaset homepage at: www.gigaset.com/service

Handsfree mode

In handsfree mode, instead of holding the handset to your ear you can put it down, for example on the table in front of you. This allows others to participate in the call.

Activating/deactivating handsfree mode

Activating while dialling



Enter the number and press the handsfree key.

 Inform your caller before you use the handsfree function so that the caller knows a third party may be listening.

Switching between earpiece and handsfree mode



Press the handsfree key.

During a call and when listening to the answering machine (Gigaset S810A only), activate or deactivate handsfree mode.

If you wish to place the handset in the base/ charger during a call:

 Press and hold the handsfree key while placing the handset in the base/ charger and for a further 2 seconds.

For instructions on adjusting the speaker volume (→ page 71).

Please note

If you have a headset connected, you can switch between the headset and handsfree mode.

Switching to mute

You can deactivate the microphone in your handset during an external call.



Press key to mute the handset. The display shows **Microphone** is off.

Press the key again to reactivate the microphone.

Please note

- If the telephone is muted, all keys except the mute key and the end-call key will not work.
- A connected headset will also be muted.

Making calls using network services

Network services are functions that your network provider makes available to you. You have to request these services from your network provider.

- It is not possible to reprogram the network services.
- If you require assistance, please contact your network provider.

Ringback

Initiating ringback

If the number you have called is engaged, you can initiate ringback. As soon as the line belonging to the person you called is free, your handset will ring.

You hear the busy tone.

Options → Ringback

Press the end call key.

Cancelling ringback

You can cancel a ringback that has already been initiated.

Call waiting during an external call

If the function is activated, during an external call you will hear a call waiting tone to signal that another external caller is trying to get through. If you have CLIP (>> page 30), the number of the waiting caller or the corresponding directory entry is shown in the display.

Activating/deactivating call waiting

Status Activate/deactivate.

Send Press the display key.

Accepting a waiting call

You are making an external call and hear the call waiting tone.

You have the following options:

If CLIP (→ page 30) is activated

Accept Press the display key.

If CLIP is not activated

Options → Accept Waiting call

Once you have accepted the waiting call you can switch between the two callers ("call swap" → page 35) or speak to both at the same time ("conference"

→ page 35).

Rejecting a waiting call

You can hear the call waiting tone but do not want to speak to the caller.

Options → Reject Waiting call

The caller hears the busy tone.

Call divert (CD)

When diverting a call, the call is forwarded to another connection.

The following options are available:

- All Calls: Calls are diverted immediately.
 No more calls are signalled on your phone.
- ◆ No Answer: Calls are diverted if no one accepts the call within several rings.
- When Busy: Calls are forwarded when your line is busy. Call is diverted without a call waiting tone.



▶ You can enter data in the following fields:

When:

Select All Calls / When Busy / No Answer.

Phone Number:

Enter the number to which the call is to be diverted.

Status:

Activate/deactivate call divert.

Send

Press the display key.



After the announcement, press the end call key.

Consultation call, call swap, conference

These functions enable you to:

- ◆ Call a second external caller (consultation call)
- ◆ Switch between two calls (call swap)
- ◆ Talk to two external callers at the same time (conference)

Consultation call

You can call a second external caller. The first call is placed on hold.

During an external call:

Ext. Call

Press the display key.
The previous call is placed on hold. The other participant hears an announcement.



Enter the second participant's telephone number.

The phone number is dialled. You are connected to the second participant.

If the caller does not answer, select the display key End to return to the first participant.

Please note

You can also select the second participant's phone number from the directory (→ page 37) or the call list (→ page 39).

Ending a consultation call

Options → End Active Call

You are reconnected to the first caller.

You can also end the consultation call by pressing the end call key. The connection is briefly interrupted and you will receive a call back. Once you have pressed the talk key, you are reconnected to the first caller.

Call swap

You can speak to both callers one at a time (call swap).

Prerequisite: You are conducting an external call and have called a second participant (consultation call) or have accepted a waiting call.

▶ Use 🖨 to swap between the participants.

The caller you are currently speaking to is marked with the \(\chi \) icon.

Ending the current call.

Options → End Active Call

You are re-connected to the waiting caller.

Conference

You can speak to both participants simultaneously.

Prerequisite: You are conducting an external call and have called a second participant (consultation call) or have accepted a waiting call.

Conf. Press the display key.

You and the other two callers (both marked by the icon) can hear and speak to each other simultaneously.

Ending a conference call

(a)

Press the end call key to end the call with both participants.

or:

EndConf Press the display key.

You return to the "call swap" status. You are reconnected to the caller with whom you started the conference call.

You can continue your conversation with the other callers.

Each of the callers can end their participation in the conference call by pressing the end call key and replacing the handset.

Using the directory and lists

The options are:

- Directory
- Redial list
- Incoming SMS message list
- Call lists
- List of missed appointments
- Answering machine list (Gigaset S810A only)

You can create a personalised directory for your own handset. You can also send lists/entries to other handsets (→ page 38).

Directory

You can save up to 500 entries in the directory.

Please note

To quickly access a number from the directory (quick dial), you can assign the number to a key (→ page 69).

Directory

In the directory, you can save:

- Up to three numbers and associated first names and surnames
- E-mail addresses
- Anniversaries with reminder
- ◆ VIP ringtone with VIP icon
- ◆ Caller pictures.

You open the directory in idle status using the \mathbf{Q} key.

Length of the entries

3 numbers:

each max. 32 digits

First name and surname: each max. 16 characters

E-mail address:

max. 64 characters

Saving a number in the directory



You can enter data in the following fields:

First Name:/Surname:

Enter first names and/or surnames. If you do not enter a name in either of the fields, the phone number is saved and displayed in place of a surname. (For instructions on entering text and special characters, please see

→ page 85.)

Phone (Home): / Phone (Office): / Phone (Mobile):

Enter a number in at least one of the fields.

E-mail:

Enter the e-mail address.

Anniversary:

Select **On** or **Off**.

With setting On:

Enter Annivers. (Date) and Anniversary (time) and select reminder type:
Anniversary (tone) → page 39.

Caller Picture:

If required, select a picture to be displayed when this person calls (see "Resource Directory", page 74). Prerequisite: Calling Line Identification (CLIP).

Caller Melody (VIP):

Mark a directory entry as a VIP (Very Important Person) by assigning a specific ringtone to it. VIP calls are recognised by the ringtone.

When scrolling through the directory, VIP entries are highlighted by the (III) icon. Prerequisite: Calling Line Identification (CLIP).

Save

Press the display key.

Order of directory entries

Directory entries are generally sorted alphabetically by surname. Spaces and digits take first priority. If only the first name was entered in the directory, this is incorporated into the sort order instead of the surname.

The sort order is as follows:

- 1. Space
- 2. Digits (0-9)
- 3. Letters (alphabetical)
- 4. Other characters

To get round the alphabetical order of the entries, insert a space or a digit in front of the first letter of the surname. These entries will then move to the beginning of the directory.

Select a directory entry



Open the directory.

You have the following options:

- ◆ Use □ to scroll through the entries until the required name is selected.
- ◆ Enter the first letters of the name (max. 8). if necessary scroll to the entry with the 🖵 key.

The directory searches for the surname. If a surname has not been entered, the directory searches for the first name.

Select from the directory



□ → □ (Select entry)

Press the talk kev. (If several numbers are entered, select the required number by pressing and press the talk key again).

The number is dialled.

Managing directory entries

Viewing entries

View

Press the display key. The entry is displayed.

Options

Press the display key.

The following functions can be selected with 🖨:

Display Number

To edit or add to a saved number, or to save it as a new entry, press → □ after the number is displayed.

Delete Entry

Delete selected entry.

Copy Entry

to Internal: Send a single entry to a handset (→ page 38).

vCard via SMS: Send a single entry in vCard format via SMS.

vCard via Bluetooth: Send a single entry in vCard format via Bluetooth.

Editing entries

View Edit

Press display keys one after the other.

Carry out changes and save.

Using other functions

□ → □ (Select entry)

→ Options (Open menu)

The following functions can be selected with 🖎:

Display Number

Edit or add to a saved number and then dial with or save as a new entry; to do so, press → 🎞 after the number is displayed.

Edit Entry

Edit selected entry.

Delete Entry

Delete selected entry.

Copy Entry

to Internal: Send a single entry to a handset (→ page 38).

Using the directory and lists

vCard via SMS: Send a single entry in vCard format via SMS.

vCard via Bluetooth: Send a single entry in vCard format via Bluetooth.

Delete All

Delete all entries in the directory.

Copy All

to Internal: Send the complete list to a handset (→ page 38).

vCard via Bluetooth: Send the complete list in vCard format via Bluetooth.

Available Memory

Display the number of entries that are still available in the directory (→ page 36).

Using quick dial keys

Press and hold the required quick dial key
 (→ page 69).

Transferring the directory to another handset

Prerequisites:

- ◆ The sending and receiving handsets must both be registered to the same base.
- ◆ The other handset and the base can send and receive directory entries.
- → Options (Open menu)
- → Copy Entry / Copy All → to Internal



Select the internal number of the receiving handset and press OK.

You can transfer several individual entries one after the other by responding to the **Entry copied - Copy next entry?** prompt with Yes.

A successful transfer is confirmed by a message and confirmation tone on the receiving handset.

Please note:

- Entries with identical numbers are not overwritten on the receiving handset.
- The transfer is cancelled if the phone rings or if the memory of the receiving handset is full.
- Pictures and sounds assigned to entries are not transferred.

Transferring the directory as a vCard with Bluetooth

In Bluetooth mode (→ page 67) you can transfer directory entries in vCard format, e.g. to exchange entries with your mobile phone.

- → Options (Open menu)
- → Copy Entry / Copy All
- → vCard via Bluetooth

The list of "Known Devices" (→ page 68) is displayed.



Select device and press OK

Receiving a vCard with Bluetooth

If a device from the "Known Devices" list (→ page 67) esends a vCard to your handset, this occurs automatically. You are informed about it via the display.

If the sending device does not appear in the list, you will be asked on the display to enter the device PIN for the sending device:



Enter the PIN for the **sending**Bluetooth device and press **OK**.

The transferred vCard is available as a directory entry.

Copying the displayed number to the directory

You can copy numbers displayed in a list, e.g., the call list or the redial list, or in an SMS, to the directory.

A number is displayed:

Options → Copy to Directory

▶ Complete the entry (→ page 36).

Gigaset S810A: Message playback is interrupted during the number transfer from the answering machine list.

Copying a number or e-mail address from the directory

In some operating situations, you can open the directory to copy a number or e-mail address, for example. Your handset need not be in idle status.

Depending on the operating situation, open the directory with □ or → □.

Storing an anniversary in the directory

For each number in the directory, you can save an anniversary and specify a time at which a reminder call should be made on the anniversary (default setting: **Anniversary: Off**).

View Edit Press display keys one after the other.

Scroll to the **Anniversary** line.

Select On.

▶ You can enter data in the following fields:

Annivers. (Date)

Enter day/month/year in 8-digit format.

Anniversary (time)

Enter the hour/minute for the reminder call in 4-digit format.

Anniversary (tone)

Select the reminder type.

Save Press the display key.

Please note

A time must be specified for reminder calls. If you select a visual signal, a time is not required and is automatically set to 00.00.

Deactivating anniversaries

View Edit Press display keys one after the

other.

Scroll to the **Anniversary** line.

Select **Off**.

Save Press the display key.

Reminder call on an anniversary

In idle status, a reminder call is indicated on the handset display and by the selected ringtone and volume that has been set for internal calls (> page 72).



You can:

SMS Write an SMS.

Off Press the display key to

acknowledge and end the

reminder call.

During the reminder call, you can permanently change the volume by pressing the side keys + (louder) or - (quieter).

When you are on the phone, a reminder call is indicated on the handset with a **single** advisory tone.

Anniversaries that are indicated during a call and are not acknowledged are entered in the **Missed Alarms** list (→ page 42).

Redial list

The redial list contains the twenty numbers last dialled with the handset (max. 32 digits). If one of the numbers is in the directory, the corresponding name is displayed.

Manual redial

Press the key **briefly**.

Select entry.

Press the talk key again. The

number is dialled.

When a name is displayed, you can display the corresponding phone number by pressing the display key View.

Managing entries in the redial list

Press the key **briefly**.

Select entry.
Options
Open menu.

The following functions can be selected with **\(\frac{1}{2} \)**:

Copy to Directory

Copy an entry to the directory (page 36).

Automatic Redial

The selected number is automatically dialled at fixed intervals (at least every 20 seconds). The handsfree key flashes and "open listening" is activated.

- Party answers:

Press the talk key. The function is ended.

Party does not answer:
 The call is terminated after approx.
 30 seconds. The function is ended after pressing any key or after ten unsuccessful attempts.

Display Number (as in the directory, page 37)

Delete Entry (as in the directory, page 37) **Delete All** (as in the directory, page 38)

Incoming SMS message list

All received SMS messages are saved in the incoming message list (→ page 46).

Answering machine list (Gigaset S810A only)

You can use the **answering machine list** to listen to the messages that are on the answering machine.

Call lists

Prerequisite: Calling Line Identification (CLIP, page 30)

Your telephone stores various types of calls:

- Answered calls
- Outgoing calls
- ♦ Missed calls
- Calls recorded by the answering machine (Gigaset S810A only)

You can view each type of call separately or gain an overview of all calls. Each call record contains the last 20 numbers in its category.

When in idle status, open the call lists by selecting the Calls display key or via the menu:



List entry

New messages are displayed at the top. Example of list entries:



- List type (in header)
- Status of entryBold: New entry
- ◆ Number or name of caller
- ◆ Date and time of call (if set, page 16)
- ◆ Type of entry:
 - Accepted calls (♥)
 - Missed calls ($\mathscr{C}_{\mathbf{x}}$)
 - Outgoing calls (€,)
 - Calls recorded by the answering machine (o_o, Gigaset S810A only)

Press the talk key \(\bigcep \) to call the selected caller back.

Press the View display key to access additional information, including for example the number linked to the name.

Select the Options display key to select the following options:

Copy to Directory

Copy the number to the directory.

Delete Entry

Delete selected entry.

Delete All

Delete all entries.

When you quit the call lists, all entries are set to the status "old", i.e., the next time you call up the list, they will no longer be shown in bold.

Message key function

Opening lists

Use the message key to open the following list selection:

- Answering machine list (Gigaset S810A only) or network mailbox, if your network provider supports this function and fast access is set for the network mailbox (→ page 58).
- ◆ Incoming SMS message list (→ page 46)
 If multiple mailboxes are set up
 - (→ page 48), several lists are displayed.
- ◆ List of missed calls
- ◆ List of missed alarms (→ page 42)

An advisory tone sounds as soon as a **new message** arrives in a list.

In **idle status**, the display shows an icon for the new message:

icon	New message
مه	in the answering machine list (Gigaset S810A only) or on the net- work mailbox
\mathscr{C}_{x}	in the missed calls list
\checkmark	in the SMS list
=	in the Missed Alarms list:

The number of **new** entries is displayed under the corresponding icon.




Please note

If calls are saved in the network mailbox, you will receive a message if the appropriate settings have been made (see your network provider user guide).

After pressing the message key , you can see all lists containing messages and the network mailbox list.

Using the directory and lists

Lists containing new messages are at the top of the list and are marked in a bold font.




Select a list with . To open, press OK.

Disable/enable flashing of the message key

You can select whether the message key flashes (default setting) or does not flash when new messages arrive. Please do the following:

▶ Press the key sequence:



The following is displayed:



Press one of the following keys to select the message type:

5 JKL for missed calls or 6_{MNO} for new SMS or 7_{PQRS} for messages on the answering machine (Gigaset S810A only)/network mailbox

Your selection is displayed (e.g. 5 for missed calls); the current setting flashes:



▶ Press key 0 + or 1 ∞, to set the behavior for new messages:

0 + message key flashes (it stops when the key is pressed) or 1 ∞ message key does not flash

Your selection is displayed (e.g. 1):



Press the display key OK.

List of missed alarms

Missed (unacknowledged) appointments from the calendar (→ page 60) and anniversaries (→ page 39) are saved in the Missed Alarms list under the following circumstances:

- ◆ You do not accept an appointment/anniversary.
- ◆ The appointment/anniversary was signalled during a phone call.
- ◆ The handset is deactivated at the time of the appointment/anniversary.
- Automatic redial was activated at the time of an appointment/anniversary (→ page 40).
- ◆ Open the list by pressing the message **key (→** page 41).

Each entry is displayed with:

- Number or name
- Date and time

The most recent entry is at the head of the

Press the display key Delete, to delete the selected entry.

If 10 entries are already stored in the list, the next appointment reminder will delete the oldest entry.

Making cost-effective calls

Make phone calls through a network provider who offers particularly low-cost call rates (call-by-call).

Automatic network provider code (preselection)

You can store a call-by-call number (preselection number), which is **automatically** placed in front of numbers when you dial them.

In the "With Preselection" list, specify the access codes or the first digits of the access codes that you wish to assign to the preselection number.

In the "No Preselection" list, enter the exceptions to the "With Preselection" list.

Example:

Preselection No.	0999
With Preselection	08
No Preselection	081
	084

All numbers that start with 08, except for 081 and 084, are dialled with the preselection number 0999.

Phone number		Dialled number
07112345678	→	07112345678
08 912345678	→	0999 08912345678
084 12345678	→	08412345678

Saving preselection numbers

→ → Telephony → Preselection
 → Preselection No.

7

Enter or change the preselection number (call-by-call number).

Save

Press the display key.

Save or change entries in the preselection lists

Each of the two lists can contain 20 entries, each with 6 digits.

Numbers may be prefixed according to the country in the "With Preselection" list. This means, for example, that all national calls or calls to the mobile network are automatically linked to the preselection number you have saved previously.

→ → → Telephony → Preselection→ With Preselection / No Preselection

Select entry.

P.7.

Enter or edit the first digits of

the number.

Save

Press the display key.

Temporarily cancelling preselection

(press and hold) → Options

→ Preselection off → (dial number)

Permanently deactivating preselection

→ ★ → Telephony → Preselection→ Preselection No.

< C

Press and **hold** the display key until the preselection number is deleted.

Save Press the display key.

SMS (text messages)

Your phone is delivered ready to send SMS messages immediately.

Prerequisites:

- Calling Line Identification is enabled for your phone line.
- Your network provider supports SMS on the fixed line network (information on this can be obtained from your network provider).
- You are registered with your service provider to send and receive SMS messages.
- To receive SMS messages, you must be registered with your service provider. This occurs automatically when you send your first SMS.

Please note

If your phone is connected to a PABX, please read → page 50.

Writing/sending an SMS

Writing an SMS



Mailbox 2 Select mailbox if necessary and

press OK.

Enter mailbox PIN if necessary and press OK.

New SMS Select and press OK.

Write an SMS.

Please note

- For instructions on entering text and special characters, please see page 85.
- ◆ An SMS may contain up to 612 characters. If there are more than 160 characters, the SMS is sent as a linked SMS (up to 4 SMS messages with 153 characters each). The top right of the display shows how many characters are still available and which part of a linked SMS is currently being written.

Sending an SMS

Press the talk key

or:

Options Press the display key.

Send Select and press OK.

SMS Select and press OK.

Select number with access code (even if you are in that area)

from the directory or enter directly. For sending SMS messages to an SMS mailbox: add the mailbox ID to the end of the

number.

Send Press the display key. The SMS is

sent.

Please note

- If you are interrupted by an external call while writing an SMS, the text is automatically saved in the draft SMS list.
- If the memory is full, or if the SMS function on the base is being used by another handset, the operation is cancelled. An appropriate message appears in the display. Delete SMS messages you no longer require or send the SMS later.



SMS status report

Prerequisite: Your network provider supports this feature.

If you have activated the status report, you will receive an SMS with a confirmation message after sending.

Activating/deactivating a status report

→ Settings

Status Report

Select Change and press $(\mathbf{M} = \mathsf{on}).$

Reading/deleting status report/saving number to directory

▶ Open the incoming message list (→ page 46) and then:

Select SMS with State OK or State not OK status.

Read

Press the display key.

Delete:

Options → Delete Entry → OK.

◆ Number in directory: Options → Copy to Directory → OK.

◆ Delete entire list:

Options → Delete All → OK.

Draft SMS list

You can save an SMS in the draft SMS list, and edit and send it later.

Saving an SMS in the draft SMS list

➤ You are writing an SMS (→ page 44).

Options

Press the display key.

Save Entry Select and press OK.

Opening the draft message list

 \rightarrow \rightarrow , if necessary (mailbox, mailbox PIN), → Draft

The first entry in the list is displayed, e.g.:

Saved 14.10.11 15:07 If the entry has been saved with the phone number, i.e., when the SMS was saved from the incoming message list, the number is displayed in the first line.

Reading or deleting SMS messages

▶ Open the draft message list and then:

Read Select SMS.

Press the display key. The text is displayed. Scroll line by line

using 🖨

or delete the SMS with

Options → Delete Entry → OK.

Writing/editing an SMS

You are reading an SMS in the draft SMS list.

Options

Open menu.

You have the following options:

Send

Send stored SMS.

Fdit

Edit the text of the saved SMS and then send it (→ page 44).

Character Set

Display text in the selected character set.

Deleting draft SMS list

Open the draft message list and then:

Options


Open menu.

Delete All Select, press OK and confirm with Yes. The list is deleted.

Sending SMS messages to an email address

If your service provider supports the **SMS as e-mail** feature, you can also send your SMS messages to e-mail addresses.

The e-mail address must be at the beginning of the text. You must send the SMS to your SMS send centre's e-mail service.







Copy the e-mail address from the directory or enter it directly. End the entry with a space or colon (depending on the service provider).



Enter the SMS text.

Press the display key.

Send

Select and press OK.

E-mail

Select and press OK. If the number of the e-mail service is not already entered

(→ page 49), enter the number of the e-mail service.

Send

Press the display key.


Receiving an SMS

All received SMS messages are saved in the incoming SMS list. Linked SMS messages are displayed as **one** message. If this is too long or is not transferred completely, it is split into individual messages. Since an SMS remains in the list even after it has been read, **regularly delete SMS messages from the list**.

The display tells you if the SMS memory is full.

Activating/deactivating first ringtone muting

Each incoming SMS is signalled by a single ring (ringtone as for external calls). If you accept such a "call", the SMS is lost. To prevent this ring, suppress the first ringtone for all external calls.



0 + OK

Make the first ringtone audible.

or:

1 ∞ OK

Mute the first ringtone.

Incoming message list

The incoming message list contains:

- All received SMS messages, starting with the most recent.
- SMS messages that could not be sent due to an error.

New SMS messages are signalled on all Gigaset S810H handsets by the
icon on the display, the flashing message key
and an advisory tone.

Opening the incoming message list with the key

Press.

The incoming message list is indicated by the mailbox name and the number of entries (example):



Bold: new entries **Normal font:** old entries

If necessary select a mailbox and open list by selecting OK (enter mailbox PIN if required and confirm by pressing OK).

The number and date of receipt are displayed in the entry list.



Opening the incoming message list via the SMS menu

Deleting the incoming message list

All **new and old** SMS messages in the list are deleted.

▶ Open the incoming message list.

Options Open menu.

Delete All Select, press **OK** and confirm

with Yes. The list is deleted.

Reading or deleting SMS messages

▶ Open the incoming message list, then:

Select SMS.

Read Press the display key. The text is displayed. Scroll line by line

using 🗘

or delete the SMS with

Options → Delete Entry → OK.

After you have read a new SMS, it is given the status "Old" (is no longer shown in bold).

Changing the character set

Read the SMS

Options Press the display key.

Character Set

Text is shown in the selected character set.

Replying to or forwarding SMS messages

▶ Read the SMS

Options Press the display key.

You have the following options:

Reply

Write and send a new SMS in reply to the sender (→ page 44).

Edit

Edit the text in the SMS and return it to the sender (→ page 44).

Forward

Forward the SMS to another number (→ page 44).

Copying the number to the directory

Copying the sender's number

Proper the incoming message list and select the SMS (→ page 46).

Options → Copy to Directory

▶ Complete the entry → page 39.

Please note

An attached mailbox identifier is added to the directory.

Copying/dialling numbers from an SMS

▶ Read the SMS and scroll to the telephone number.

The digits are highlighted.

→ □ Press the display key.

Complete the entry (→ page 39).

or:

Press the talk key to dial the number.

If you wish to use the number to send an SMS:

 Save the number with the local area code (access code) in the directory.

SMS with vCard

The vCard is an electronic business card. It is displayed by the 🔳 icon in the body of the SMS.

A vCard can include:

- Name
- Private number
- Business number
- Mobile phone number
- ◆ Birthday

Entries in a vCard can be saved to the directory individually.

Opening the vCard

▶ Read the SMS containing the vCard.

View Press the display key.

To return to the body of the

SMS, press Back.

Select number.

Save Press the display key.

When you save a number, the directory is opened automatically. The number and name are copied. If a birthday is entered on the vCard, the date is copied to the directory as an anniversary.

If necessary, edit the entry in the directory and save it. You will return to the vCard automatically.

Notification via SMS

You can be notified about missed calls or new answering machine messages (Gigaset S810A only) via SMS.

Prerequisite: For missed calls, the caller's number (CLI) must have been transmitted.

Notification is sent to your mobile phone or another phone with SMS functionality.

You only need to save the telephone number to which you wish the notification to be sent.

→ ► Settings → Notification

▶ You can enter data in the following fields:

To:

Enter the number to which the SMS should be sent.

On missed call

Select **On** if you require SMS notification.

On message on answer machine

(Gigaset S810A only)

Select **On** if you require SMS notification.

Save

Press the display key.

Warning

Do **not** enter your own fixed line network number for the notification of missed calls. This can lead to chargeable endless looping.

SMS mailboxes

The **general mailbox** is the default setting. Anyone can access this mailbox and it cannot be protected by a PIN. You can set up three additional **personal mailboxes** and protect these with a **PIN**. Each mailbox is identified by a name and a "mailbox ID" (a kind of extension number).

Please note:

- If you operate a number of devices (bases) with SMS functionality on a single phone line, then each SMS mailbox ID may only occur once. In this case, you must also change the preset ID of the general mailbox ("0").
- Only use personal mailboxes if your service provider supports this function. You can tell whether this is the case by the addition of a star (*) to the number of a (preset) SMS centre.
- If you have forgotten your mailbox PIN, you can reset it by restoring the base's default settings. This will delete all SMS messages from all mailboxes.

Setting up and editing a personal mailbox

Setting up a personal mailbox

→ ► Settings → SMS Mailboxes

Select mailbox, e.g., **Mailbox 2** and press Edit.

▶ You can enter data in the following fields:

Activation:

Activate or deactivate mailbox.

Name:

Enter name.

Box ID:

Select mailbox ID (0–9). You can only select the available numbers.

Protection:

Activate/deactivate PIN protection.

SMS PIN

If necessary, enter 4-digit PIN.

Save

Press the display key.

Active mailboxes are marked with \checkmark in the mailbox list. They are shown in the SMS list and can, if necessary, be displayed by pressing the message key \blacksquare .

Deactivating a mailbox

 Set Activation to Off. Confirm message with Yes if necessary.

All SMS messages saved in this mailbox are deleted.

Deactivating PIN protection

Set Protection to Off.

The mailbox PIN is reset to "0000".

Changing the name of a mailbox

→ 🖵 (Select mailbox)

Edit

Press the display key.



Enter new name.

Press the display key.

Changing a mailbox's PIN and ID

→ Y → Settings → SMS Mailboxes

→ 🖵 (Select mailbox)



Enter mailbox PIN if necessary and press OK.

Set Box ID, Protection and SMS PIN

 → page 49).

Sending an SMS to a personal mailbox

To send an SMS to a personal mailbox, the sender must know your ID and enter it after your number.

You can send your SMS contact an SMS via your personal mailbox.

Along with this SMS, your SMS contact will receive your SMS number with current ID and can save it in their directory. If the ID is invalid, the SMS will not be delivered.

Setting SMS centres

SMS messages are exchanged between SMS centres operated by service providers. You must enter the SMS centre through which you wish to send and receive SMS messages into your phone. You can receive SMS messages from **every** SMS centre that is entered, provided you have registered with your service provider.

Your SMS messages are sent via the SMS centre that is entered as the active send service centre (→ page 49). Only one SMS centre can be the active send service centre at any one time.

If no SMS service centre is entered, the SMS menu only contains the entry **Settings**. Enter an SMS Service Centre (→ page 49).


Entering/changing SMS centres

 Find out about the services and special functions offered by your service provider before you make a new application and/or before you delete pre-configured call numbers.





→ ► Settings → Service Centres



▶ You can enter data in the following fields:

Active Send:

Select Yes if SMS messages are to be sent via the SMS centre.

SMS Service Centre no.:

Enter the number of the SMS service and insert a star if your service provider supports personal mailboxes.

Send e-mail to:

Enter the number of the e-mail service.

Save

Press the display key.

Please note

Ask your service provider for details on entering service numbers if you wish to use personal mailboxes (prerequisite: your service provider supports this function).

Sending an SMS via another SMS centre

- Activate the SMS centre (2 to 4) as the active send service centre.
- Send the SMS.

SMS services

You can have your service provider send you specific information by SMS (e.g., weather forecast or the lottery numbers). A total of up to 10 SMS services can be saved. You can obtain information about the SMS services. available and their costs from your service provider.

Setting up/ordering an SMS service

Ordering an SMS service



□ → M → SMS Service



Select SMS service.



Press the display key.

Setting up an SMS service

 Select an empty entry, delete beforehand if necessary. Then:

Edit

Press the display key.

P.

If necessary, enter code, designation and destination number.

Save

Press the display key.

Editing an SMS service entry

▶ Select the SMS service (see above). Then:

Options

Open menu.

Edit Entry Select and press OK.

> If necessary, change the code, designation or destination

number.

Save

Press the display key.

Deleting an SMS service

▶ Select the SMS service (see above). Then:

Options

Open menu.

Delete Entry

Select and press OK.

SMS on a PABX

- ◆ You can only receive an SMS when the Calling Line Identification is forwarded to the extension of the PABX (CLIP). The CLIP evaluation of the SMS centre number is completed in your Gigaset.
- ◆ Depending on your PABX, you may have to add the access code (external line prefix) before the number of the SMS centre. If in doubt, test your PABX, e.g., by sending an SMS to your own number: once with and once without the access code.
- ◆ When you send SMS messages, your sender number may be sent without your extension number. In this case, the recipient cannot reply to you directly.

Sending and receiving SMS messages on ISDN PABXs is only possible via the MSN number assigned to your base.

Activating/deactivating SMS function

If you deactivate the SMS function, you cannot send or receive any SMS messages with your phone.

The settings you have made for sending and receiving SMS messages (e.g., the numbers of the SMS centres) and the entries in the incoming and draft message lists are saved even after deactivation.

Open the main menu.

* Д # + О + Б JKL # + О 2 ABC 6 MNО Enter the digits.

O + OK Deactivate the SMS function.

or:

OK Activate the SMS function (default setting).

SMS troubleshooting

Error codes when sending

- EO Calling Line Identification permanently withheld (CLIR) or Calling Line Identification not activated.
- FE Error occurred during SMS transfer.
- FD Connection to SMS centre failed; see self-help.

Self-help with errors

The following table lists problem situations and possible causes and provides advice on troubleshooting.

You cannot send messages.

- 1. You have not requested the CLIP service (Calling Line Identification Presentation).
 - Ask your service provider to enable this service.
- SMS transmission has been interrupted (e.g., by a call).
 - Re-send the SMS.
- 3. The network provider does not support this feature.
- No number or an invalid number is entered for the SMS centre set as the active send service centre.
 - ▶ Enter the number (→ page 49).

You receive an incomplete SMS.

- 1. Your phone's memory is full.
 - ▶ Delete old SMS messages (→ page 45).
- 2. The service provider has not yet sent the rest of the SMS.

You have stopped receiving SMS messages.

- 1. You have changed the ID of your mailbox.
 - Give your SMS contacts your new ID or undo the change (→ page 49).
- 2. You have not activated your mailbox.
 - ▶ Activate your mailbox (→ page 49).
- Call divert (redirecting) is set to When: All Calls or All Calls is activated for the network mailbox
 - Change the call divert settings
 (→ page 34).

The SMS is played back.

- The "display call number" feature is not activated.
 - Ask your service provider to activate this function (chargeable).
- No agreement is in place between your mobile phone operator and your fixed line network SMS service provider.
 - Obtain information from your fixed line network SMS service provider.
- Your terminal has been recorded by your SMS provider as having no fixed line network SMS functionality, i.e., you are not registered with the provider.
 - ► Send any SMS to automatically register your telephone to receive SMS.

Messages are only received during the day.

The terminal is recorded in your SMS provider's database as having no fixed line network SMS functionality, i.e., you are not registered with the provider.

- Obtain information from your fixed line network SMS service provider.
- Send any SMS to automatically register your telephone to receive SMS.

Operating the Gigaset S810A base answering machine

You can access the answering machine via the handset, the buttons on the base (→ page 4) or by remote operation (from another phone/mobile phone). You can record your own announcement message or advisory message via the handset.

Answering machine mode

You can use the answering machine in two different modes.

- In Answer & record mode, the caller hears the announcement and can then leave a message.
- In Answer only mode, the caller hears your announcement but cannot leave a message.

Operating via the handset

The handset loudspeaker activates **automatically** if you receive an acoustic prompt or message while operating. You can switch it off with the handsfree key

Activating/deactivating and setting the answering machine mode

You can choose between **Answer & record**, **Answer only** and **Alternating**. By using the **Alternating** setting, you can activate answer and record mode for a set period of time, outside this period the caller will only hear the announcement.

ightharpoonup ightharpoonup Activation (ightharpoonup = on)

Edit Press the display key.

▶ You can enter data in the following fields:

Activation:

Select **On** or **Off** to activate/deactivate the answering machine.



Select **Answer & record**, **Answer only** or **Alternating**.

If Alternating mode is selected:

Record from:

Enter hours/minutes for the start of the period in 4-digit format. (The time **must** be set on the phone beforehand.)

Record until:

Enter hours/minutes for the end of the period in 4-digit format.

If **Answer & record** is not set, **Answer only** mode applies.

Save Press the display key.

If the messages memory is full and **Activation:** On has been selected, saving is interrupted and you will receive an instruction to delete old messages.

When you switch the answering machine on, the remaining memory time is announced. If the time has not yet been set, an appropriate announcement is made (set time → page 16). The Q_O icon appears in the display. The LED display on the base lights up (→ page 4).

The phone is supplied with pre-recorded announcements for **Answer & record** mode and for **Announce only** mode. If a personal announcement has not been recorded, the relevant pre-recorded announcement is used.

Recording personal announcements/ advisory messages

→ Announcements

→ Rec. Announcement / Rec. Advisory Msg.

OK Press the display key to start the recording.

You hear the ready tone (short tone).

Now speak your announcement (at least 3 secs.).

Just as if making a call via the receiver, place the telephone against your ear and speak into the microphone at a normal volume.

End

Press the display key to end the recording.

Cancel recording with or Back. Restart the recording with OK.

After recording, the announcement is played back for you to check. You can rerecord the announcement with New.

Please note:

- Recording ends automatically if the maximum recording time of 100 seconds is exceeded or there is a break in speech for more than 2 seconds.
- If you cancel the recording, the prerecorded announcement is used again.
- If the answering machine's memory is full, it will switch to Answer only mode.
 - Delete old messages and the answering machine will automatically switch back to Answer & record mode.
 Repeat recording if required.

Playing back personal announcements/ advisory messages

→ ■ → Announcements→ Play Announcement /Play Advisory Msg.

If you have not recorded a personal announcement, the relevant pre-recorded announcement is played.

Record a new announcement while playing back the announcement:

New Press the display key.

If the answering machine's memory is full, it will switch to **Answer only** mode.

 Delete old messages and the answering machine will automatically switch back to Answer & record mode. Repeat recording if required.

Deleting personal announcements/ advisory messages

→ Del. Announcement / Del. Advisory Msg.

Yes

Press the display key to confirm the prompt.

Once you have deleted your announcement, the relevant pre-recorded announcement is used again.

Please note

Deleting announcements can take some time.

Playing back messages

The date and time of each message is logged (provided this has been set, → page 16) and displayed during the playback. If Calling Line Identification is activated, the caller's number is displayed. If the caller's number is saved in the directory, their name is displayed.

Playing back new messages

New messages that have not yet been played back are indicated on the display with an icon and number:



The key on the handset and the display on the base will flash. The number of new messages is displayed on the base.

Press the message key.

Answer. Mach.:

Select and press OK.

If there are new messages, playback then begins with the first new message. After the last new message, you will hear the end tone and an announcement stating how much recording time remains.

If the message has been saved with the date and time, you will hear an appropriate announcement before playback begins.

Playing back old messages

You can listen to old messages if there are no more new messages. Begin playback as described under "Playing back new messages".

After the entry time and date have been played back (after approx. 3 seconds) a new message assumes the status "old".

Stopping and controlling playback

During message playback:

Pause playback. Press 2 ABC

again to resume.

or

Options Open menu.

Pause Select and press OK.

To continue select Continue

and press OK.

message.

Press twice to go back to the

previous message.

☐ or 3 DEF Skip to next message.

Press twice to skip ahead two

messages.

Skip back 5 seconds in the cur-

rent message.

(Skip back function

prerequisite: more than five seconds of the current message have been played back).

If playback is interrupted for over a minute, the answering machine returns to idle status.

Marking a message as "new"

A previously played back "old" message is displayed as a "new" message again.

During message playback:

*

Press the star key.

or:

Options Open menu.

Mark as New

Select and press OK.

An announcement informs you of the message's new status.

Playback of the current message is cancelled. Playback of next message starts, if applicable.

The key on the handset flashes.

Copying a phone number from a message to the directory

During playback or pause:

Options → Copy to Directory

➤ Complete the entry (→ page 39).

Deleting messages

You can either delete all old messages together or individually.

Deleting all old messages

During playback or pause:

Options → Delete Old List

OK Press the display key to confirm

the prompt.

Yes Press the display key to confirm

the prompt.

Deleting individual old messages

During playback or pause:

Delete Press the display key.

Picking up a call from the answering machine

You can pick up a call while the answering machine is recording or is being operated via remote operation:

/ Accept

Press the talk or display key.

Recording stops and you can speak to the caller.

If two seconds of the call have already been recorded when you pick it up, the call is displayed as a new message. The key on the handset flashes.

You can answer the call, even if it is not signalled on the handset.

Diverting an external call to the answering machine

You can divert an incoming external call to the answering machine, even if it is deactivated.

Prerequisite: Sufficient memory space is available on the answering machine.

An external call is signalled on the handset:

→ oo Select display key.

The answering machine starts immediately in **Answer & record** mode and records the call. The set time for ring delay (→ page 55) is ignored.

Activating/deactivating two-way record

You can record an **external** call with the answering machine.

Inform the caller that the call is being recorded.

Options Open menu.

Two-way Record

Select and press OK.

Two-way record is indicated on the display by an advisory text and is added to the answering machine list as a new message.

End Press the display key to stop two-way record.

The maximum recording time depends on the memory available on the answering machine. If the memory is full, you will hear an end tone, the recording is aborted, and the call recorded up to that point is listed in the answering machine list as a new message.

Activating/deactivating call screening

While a message is recording, you can screen calls via the base loudspeaker and registered handsets.

Permanently activating/deactivating call screening

→ Call Screening
→ Handset / Base (⋈ = on)

Change

Select display key to activate/ deactivate the function.

Call screening can be simultaneously activated on the base and handset.

Deactivating call screening for the current recording

You can deactivate the function for your own handset during the recording.

Silence

Press the display key.

Setting the recording parameters

The answering machine has already been preset at the factory. Individual settings can be adjusted using the handset.

→ Page → Recordings

▶ You can enter data in the following fields:

Length:

Select maximum recording time 1 min., 2 min., 3 min. or Maximum.

Quality:

Select **Long Play** or **Excellent** recording quality. If the quality is higher, the maximum recording time is reduced.

Ring Delay:

Select when the answering machine should accept a call:

Immediately, after 10 sec., 18 sec., 30 sec. or Automatic.

Save

Press the display key.

Information about ring delay

In **Automatic** mode, the following applies for ring delay:

- If there are no new messages, the answering machine answers a call after 18 seconds.
- If there are new messages, the answering machine answers a call after 10 seconds.

When operating remotely (→ page 56), you can tell after approx. 15 seconds that there are no new messages (otherwise the answering machine would have already accepted your call). There are no call charges if you hang up now.

Please note:

You can configure your telephone so that the **first** ring is **suppressed** on all calls (→ page 46). This means that the time selected for the ring delay predetermines how long the caller must wait before the answering machine accepts the call.

Changing the language for voice prompt and pre-recorded announcement

Open the main menu.

(* △ (# → 0 + 5 JKL) (# → 2 ABC) 1 △ Enter digits **and** press

0 + OK To set Swedish.

1 w OK To set Norwegian.

2_{ABC} OK To set Danish.

Resetting fast access for the answering machine using key 1

By default, key 1 me has been assigned for fast access to the integrated answering machine. However, if you have set the network mailbox for fast access (→ page 58), you can reset this setting.

Answ. Machine

Select and press OK.

Once you have selected the answering machine, press and **hold** key 1 ... You are connected directly.

The setting for fast access applies to all registered handsets.

Operating when on the move (remote operation)

You can check and activate your answering machine from any other telephone (hotel, pay phone etc.), or initiate ringback from the answering machine with an SMS.

Prerequisites:

- ◆ You have set a system PIN other than 0000 (→ page 77).
- The phone you are using for remote operation has tone dialling (DTMF), i.e., you hear different tones when you press the keys. Alternatively, you can use a code transmitter (available from your mobile phone retailer).

Calling the answering machine and playing back messages



Dial your own number.

When you hear your announcement, press and enter the system PIN.

You are informed whether any new messages have been recorded. The messages are now played back. You can now operate the answering machine with the keypad.

The following keys are used for operation:

1	To return to the start of the cur-
	rent message.
	Press twice to go back to the
	previous message.

Pause playback. Press again to resume.

Go to the next message.

Skip back 5 seconds in the current message.
(Skip back function prerequisite: more than five seconds of the current message have been played back).

A previously played back "old" message is displayed as a "new" message again.

Delete current message.

Activating the answering machine

▶ Phone home and let the phone ring until you hear: "Please enter PIN".



Enter system PIN.

Your answering machine is activated. It tells you how much memory time is left.

The messages are now played back.

The answering machine cannot be deactivated remotely.

Initiating ringback from the answering machine with SMS and listening to messages

Prerequisite: You must have stored an SMS notification number (→ page 48).

You can use the telephone (mobile phone or any other device with SMS functionality) for which you have stored the SMS notification number in your phone to send an SMS to your answering machine when you are away from home. It will then call you back. The message playback begins when you accept the call and press any digit key.

The SMS must contain the following:

<System PIN><Ringback number>*

The ringback number is optional.

Examples:

4711 or *4711*089123456*

If a ringback number is entered, it is dialled; otherwise the SMS notification number is dialled.

You can now operate the answering machine via the keypad, as described in the previous sections.

Using the network mailbox

The network mailbox is your network provider's answering machine within the network. You cannot use the network mailbox unless you have **requested** it from your network provider.

© Configuring fast access for the network mailbox

With fast access, you can dial the network mailbox or the integrated answering machine (Gigaset S810A only) directly.

Gigaset S810: Fast access is preset for the network mailbox. You only need to enter the number of the network mailbox.

Gigaset S810A: The integrated answering machine is preset for fast access. You can configure the network mailbox instead. Ask your network provider about this.

Configuring fast access for the network mailbox and entering the network mailbox number

Gigaset S810A:

→ Set Key 1

Network Mailbox

Select and press Network Mailbox

(Select = selected).

Gigaset S810:

→ Metwork Mailbox

To continue:

Enter the number for the network mailbox.

Save Press the display key.

The setting for fast access applies to all Gigaset S810H handsets.

Calling the network mailbox

Press and hold. You are connected straight to the network mailbox.

Press handsfree key I if required. You will hear the network mailbox announcement.

Viewing the network mailbox message

When a message is recorded, you receive a call from the network mailbox. If you have requested Calling Line Identification, the network mailbox number is displayed. If you accept the call, the new messages are played back. If you do not accept the call, the network mailbox number is saved in the missed call list and the message key flashes (→ page 41).

Please note

Enter the network mailbox phone number into your directory along with the designation "Network mailbox"; the display and the call list will then show this designation.

ECO DECT

You are helping to protect the environment with your Gigaset S810/S810A.

Reducing energy consumption

By using a power-saving adapter plug, your telephone consumes less power.

Reducing radiation

The radiation from your telephone is reduced **automatically**:

- ◆ Handset: The closer the handset is to the base, the lower the radiation.
- Base station: The radiation is reduced to virtually zero when only one handset is registered and the handset is placed in the base.

You can reduce the radiation from the handset and base even more by using **Eco Mode**.

◆ Eco Mode

Reduces the radiation of the base station and handset by 80% - whether you are making a call or not. **Eco Mode** reduces the range of the base station by approx. 50%. Using **Eco Mode** always makes sense when a reduced range is sufficient.

Switching off radiation

◆ Eco Mode+

When you activate **Eco Mode+**, radiation (DECT transmission power) from the base and handset is switched off in the idle state

This is also true when multiple handsets are used, provided the handsets support **Eco Mode+**.

Eco Mode / Eco Mode+ can be activated/ deactivated independently of one another and can also be used with multiple handsets. The handset must not be placed in the base.

Activate/deactivate Eco Mode /Eco Mode+:

→ Eco Mode / Eco Mode+

Change Press the display key (= on).

Status displays

Display icon	
	Signal strength:
14 14 14 1 (†)	good to poorno signal
📢 white	Eco Mode deactivated
📢 green	Eco Mode activated
(P) white	Eco Mode+ activated (displayed instead of the reception strength icon when in idle status)
♠ green	Eco Mode and Eco Mode+ activated

Please note

- ◆ With Eco Mode+ activated, press and hold the talk key ✓ to check that the base can be reached. You will hear the dial tone if the base can be reached.
- ◆ When **Eco Mode**+ is activated:
 - Call setup is delayed by approx. two seconds.
 - Handset standby time is reduced by approx. 50%.
- Registering handsets that do not support Eco Mode+ will cause the mode to be deactivated on the base and all other handsets.
- Activating Eco Mode reduces the range of the base.
- ◆ Eco Mode / Eco Mode+ and repeater support (→ page 76) cancel each other out, i.e., if you use a repeater, you cannot use Eco Mode or Eco Mode+.

Setting an appointment (calendar)

You can use your handset to remind yourself of up to **30 appointments**. Anniversaries (→ page 39) entered in the directory are automatically recorded in the calendar.

Saving an appointment

Prerequisite: The date and time have already been set (→ page 16).





- The current day is selected (highlighted in white).
- Days on which appointments have already been saved are highlighted in white.

Select the required day in the graphical calendar.

The selected day is highlighted in white. The current day is no longer highlighted.

- Press the centre of the control key.
- If appointments have already been entered, this will open the list of saved appointments on that day.
 Select <New Entry> → OK to open the data input window.
- If no appointments have been entered, the data input window will open immediately to add the new appointment.

▶ You can enter data in the following fields:

Activation:

Select On or Off.

Date:

Enter day/month/year in 8-digit format.

Time:

Enter hours/minutes in 4-digit format.

Text:

Enter text (max. of 16 characters). The text appears as the appointment name in the list and is displayed on the screen during the appointment reminder. If you do not enter any text, only the date and time of the appointment are displayed.

Signal:

Select the reminder type.

Save

Press the display key.


Please note

If you have already saved thirty appointments, you will have to first delete an existing appointment before adding a new one.

Signalling appointments and anniversaries

An appointment reminder is signalled in idle status for 60 seconds with the selected ringtone at the volume that has been set for internal calls (>> page 72). During the reminder call, you can permanently change the volume by pressing the side keys +> (louder) or -> (quieter).

The name is displayed for anniversaries, while the entered text is displayed for appointments along with the date and time.



You can either deactivate or answer an appointment reminder:

Off Press the display key to deacti-

vate the appointment reminder.

or:

SMS Press the display key to respond to the appointment reminder

with an SMS.

Please note

During a call, the appointment reminder is signalled by a short tone.

Managing appointments



Editing individual appointments

Select a day in the graphical calendar and press the control key . (Days on which appoint-

ments have already been saved are highlighted in white in the calendar).

Select appointment for the day.

You have the following options:

View Press the display key and edit or

confirm the entry.

or

Options Open the menu for editing,

deleting and activating/deactivating.

Deleting all appointments for one day

Options → Delete all Appts. → OK

Confirm the security prompt with Yes. All appointments are deleted.

Displaying missed appointments, anniversaries

Missed appointments/anniversaries (→ page 39) are displayed in the Missed Alarms list if:

- ◆ You do not accept an appointment/anniversary.
- ◆ The appointment/anniversary was signalled during a phone call.
- ◆ The handset is deactivated at the time of the appointment/anniversary.
- ◆ Automatic redial was activated at the time of an appointment/anniversary (→ page 40).

The icon and the number of **new** entries are shown in the display. The most recent entry is at the head of the list.

Open the list by pressing the message key

→

→ Missed Alarms

Select appointment/anniver-

Information about the appointment/anniversary is displayed. A missed appointment is displayed with the appointment name and a missed anniversary is displayed with the last name and first name. The date and time will also be given.

Delete Delete appointment.


SMS Write an SMS.

If 10 entries are already stored in the list, the next appointment reminder will delete the oldest entry.

Setting the alarm clock

Prerequisite: The date and time have already been set (→ page 16).

Activating/deactivating and setting the alarm clock



▶ You can enter data in the following fields:

Activation:

Select On or Off.

Time:

Enter the wake-up time in 4-digit format.

How often:

Select Daily or Monday-Friday.

Volume:

Set the volume (1-6).

Melody:

Select melody.

Save Press the display key.

In idle status, the \bigodot icon and wake-up time are displayed.

A wake-up call is signalled on the display and with the selected ringtone (→ page 3). The wake-up call sounds for 60 seconds. If no key is pressed, the wake-up call is repeated twice at five minute intervals and then switched off.

While the wake-up call sounds, you can permanently change the volume by pressing the side keys + (louder) or - (quieter).

During a call, the wake-up call is only signalled by a short tone.

Deactivating the wake-up call/ repeating after a pause (snooze mode)

Prerequisite: A wake-up call is sounding.

OFF

Press the display key. The wakeup call is deactivated. or



Press the display key or any key. The wake-up call is deactivated and then repeated after 5 minutes. After the second repetition the wake-up call is deactivated completely.

Using multiple handsets

Registering handsets

You can register up to six handsets to your base.

A Gigaset S810H handset can be registered on up to four bases.

Manually registering a Gigaset S810H to a Gigaset S810/ S810A

You must activate manual registration of the handset on both the handset (1) and the base (2).

When the registration process has completed successfully, the handset returns to idle status. The handset's internal number is shown in the display e.g., **INT 1**. If not, repeat the procedure.


1) On the handset

The handset is not registered to a base.

Register

Press the display key.

The handset is already registered to a base:



If the handset is already registered to four bases:

Select base, e.g., **Base 3** and press **OK**.



If required, enter the system PIN for the base and press OK.

A message appears stating that the handset is searching for a base that is ready for registration.

2) On the base

Within 60 seconds press and **hold** the registration/paging key on the base (→ page 4) (approx. 3 seconds).

Registering other handsets

You can register other Gigaset handsets and handsets for other devices with GAP functionality as follows.

1) On the handset


 Start to register the handset as described in its user guide.

2) On the base

Press and **hold** the registration/paging key on the base (→ page 4) (approx. 3 sec.).

De-registering handsets

You can de-register any other registered handset from any registered Gigaset S810H handset.



→ De-reg. Handset

Yes

Select the internal subscriber you wish to de-register and press OK.

(The handset you are currently using is highlighted with <).

Enter the current system PIN and press Save.

Press the display key.

Locating a handset ("Paging")

You can locate your handset using the base.

- ▶ **Briefly** press the registration/paging key on the base (→ page 4).
- All handsets will ring simultaneously ("paging"), even if the ringtones are deactivated.

Ending paging

▶ Briefly press the registration/paging key on the base or press the talk key <a>C on the handset

Changing the base

If your handset is registered to more than one base, you can set it to a particular base or to the base that has the best reception (Best Base).



Select one of the registered bases or **Best Base** and press Select.

Making internal calls

Internal calls to other handsets registered on the same base are free.

Calling a specific handset

Initiate internal call.

Enter the number of the hand-

set.

Initiate internal call.

Select handset.Press the talk key.

Calling all handsets ("group call")

Press and hold.

or:

or:

Initiate internal call.

*

Press the star key.

or

Call All Select

Press the talk key.

All handsets are called.

Ending a call

Press the end call key.

Transferring a call to another handset

You can transfer an external call to another handset (connect).

 \blacksquare

Open the list of handsets.
The external participant hears music on hold, if activated (→ page 76).

Select a handset or **Call All** and press **OK**.

When the internal participant answers:

▶ If necessary, announce the external call.

⊕

Press the end call key.

The external call is transferred to the other handset.

If the internal participant does **not** answer or the line is busy, press the display key End to return to the external call.

When transferring a call, you can also press the end call key so before the internal participant answers.

Then, if the internal participant does not answer or the line is busy, the call will automatically return to you.

Internal consultation/conference calls

When you are conducting an **external** call, you can call an **internal** participant at the same time for consultation or hold a conference call between all 3 participants.

You are conducting an external call:

Open the list of handsets.
The external participant hears music on hold, if activated
(→ page 76).

Select handset and press OK. The internal participant is called.

If the participant picks up, you can either:

End

Press the display key.
You are reconnected with the external participant.

or:

Conference

Press the display key.
All 3 participants are connected with each other.

Please note

- ◆ If only two handsets are registered, the other handset is called immediately by pressing the ☐ key.
- ◆ Pressing and **holding** the **l** key calls **all** handsets **immediately**.

Ending a conference call

(a)

Press the end call key.

If an **internal** participant presses the end call key , the other handset remains connected to the external participant.

Accepting/rejecting call waiting

If you receive an **external** call during an **internal** call, you will hear the call waiting tone (short tone). With Calling Line Identification, the caller's number will appear in the display.

Ending an internal call, accepting an external call

Accept

Press the display key.

The internal call is **ended**. You are connected to the external caller.

Rejecting the external call

Reject

Press the display key.

The call waiting tone is turned off. You remain connected to the internal participant. The ringtone can still be heard on other registered handsets.

Listening in to an external call

Prerequisite: The Listening In function must be activated.

You are conducting an external call. An internal participant can listen in on this call and take part in the conversation. All the participants are made aware of additional listeners by a signal tone.

Activating/deactivating listening in

Press Change to activate/deactivate the function ($\mathbf{M} = on$).

Internal listening in

The line is engaged with an external call. Your screen will display information to that effect. To listen in to the external call.

Press and **hold** the talk kev.

You can listen in to the call. All participants hear a signal tone. During this time, this handset displays the Conference message and it is not possible to dial another number from this handset.

Ending listening in

Press the end call kev.

All participants hear a signal tone.

If the first internal participant presses the end call key 3, the handset that has "listened in" remains connected to the external participant.

Changing the name of a handset

The names "INT 1", "INT 2" etc. are assigned automatically on registration. You can change these names. The name must be no more than 10 characters. The changed name is displayed in every handset's list.

ᅒ Open the list of handsets. Your

own handset is indicated by **◄**.

Select handset. Options Open menu.

Rename

Enter name.

Save Press the display key.

Changing a handset's internal number

A handset is automatically assigned the lowest free number when it is registered. If all slots are occupied, number 6 is overwritten if this handset is in idle status. You can change the internal number of all registered handsets (1-6).

Open the list of handsets. Your

own handset is indicated by ◀.

Options Open menu.

Assign Handset No.

Select and press OK.

█ Select number. Only numbers that have not been assigned are

displayed.

Press the display key to save the Save

input.

Using a handset as a room monitor (Babyphone)

If the room monitor is activated, a previously saved destination number is called as soon as a set noise level is reached. You can save an internal or external number in your handset as the destination number. All of the handset keys are deactivated, with the exception of the display keys.

The room monitor call to an external number is terminated after approximately 90 seconds. The room monitor call to an internal number (handset) is terminated after approximately 3 minutes (depending on the base). When the room monitor is activated, all keys are locked except the end call key. The handset's speaker can be switched on or off (Two Way Talk = **On** or **Off**). If Two Way Talk is switched on, you can answer the room monitor call.

When the room monitor is activated, incoming calls to the handset are indicated without a ringtone and are only shown on the screen. The display and keypad are not illuminated and advisory tones are also turned off.

If you accept an incoming call, the room monitor is suspended for the duration of the call, but the function **remains** activated.

If you deactivate then reactivate the handset, the room monitor remains activated.

Warning!

- Always check the operation of the room monitor before use. For example, test its sensitivity. Check the connection if you are diverting the room monitor to an external number.
- When the function is switched on, the handset's operating time is considerably reduced. If necessary, place the handset in the base/charger. This ensures that the battery does not run down.
- Ideally the handset should be positioned 1 to 2 metres away from the baby. The microphone must be directed towards the baby.
- The connection to which the room monitor is diverted must not be blocked by an activated answering machine.

Activating the room monitor and entering the destination number



▶ You can enter data in the following fields:

Activation:

Select **On** to activate.

Alarm to:

Select Internal or External.

External number: Select the number from the directory (press display key) or enter it manually.

Internal number: Select display key

Change → . Select handset or Call All to
call all registered handsets → OK.

In idle status, the destination number or

the internal destination number is dis-

played. Two Way Talk:

Switch the handset's speaker on or off (select **On** or **Off**).

Sensitivity:

Select noise level sensitivity (**Low** or **High**).

Press Save to save the settings.

When the room monitor function is activated, the idle display appears as shown below:



Changing the set destination number



 Enter and save number as described in "Activating the room monitor and entering the destination number"
 (→ page 66).

Cancel/deactivate room monitor

Press the end call key (a) to cancel the call when the room monitor is activated.

In idle status, press the display key **OFF** to deactivate room monitor mode.

Deactivating the room monitor remotely

Prerequisites: The phone must support tone dialling and the room monitor should be set for an external destination number.

Accept the call from the room monitor and press keys 9 #.

The room monitor function will deactivate after the call ends. There are no further room monitor calls. The other room monitor settings on the handset (e.g., no ringtone) will remain activated until you press the display key OFF on the handset.

To reactivate the room function with the same phone number:

Turn on the activation again and save with Save (→ page 66).

Using Bluetooth devices

Your Gigaset handset can communicate wirelessly via Bluetooth™ with other devices using this technology.

Before you can use your Bluetooth devices, you must first activate Bluetooth and then register the devices to the handset.

You can register 1 Bluetooth headset to the handset. You can also register up to 5 data devices (PCs, PDAs and mobile phones) to send and receive directory entries as vCards or exchange data with the computer (→ page 86).

To use the phone numbers, dialling codes (country and area code) must be stored in the directory (>> page 75).

You will find a description of how to operate your Bluetooth devices in the user guides for these devices.

Please note

- You can operate headsets on your handset that have the headset or speaker profile. If both profiles are available, the speaker profile will be used to communicate.
- It can take up to 5 seconds to create a connection between your handset and a Bluetooth headset. This applies both when a call is accepted using the headset or transferred to the headset, and when a number is dialled from the headset.

Activating/deactivating Bluetooth mode



Press Change do activate or deactivate Bluetooth mode ($\mathbf{M} =$ activated).

In idle status, the ③ icon on the handset shows that Bluetooth mode is activated) (→ page 3).

Registering Bluetooth devices

The distance between the handset in Bluetooth mode and the activated Bluetooth device (headset or data device) should be no more than 10 m.

Please note

- If you register a headset, any headset that is already registered will be overwritten
- If you would like to use a headset with your handset that is already registered to another device (e.g. to a mobile phone), please deactivate this connection before you start the registration process.

→ Search for Headset / Search Data Device

The search can take up to 30 seconds.

Once the device has been found, its name will be shown on the display.

Options Pr

Press the display key.

Trust Device

Select and press OK .



Enter the PIN for the Bluetooth device you want to **register** and press **OK**.

The device is saved in the list of known devices.

Cancelling/repeating current search

To cancel search:

Cancel Press the display key.

Repeat search if necessary:

Options Press the display key.

Repeat Search

Select and press OK.

Editing the list of known (trusted) devices

Open list



A corresponding icon appears next to each device name in the list displayed:

lcon	Meaning
Θ	Bluetooth headset
다	Bluetooth data devices

If a device is connected, the corresponding symbol \S is shown in the header of the display.

Viewing entries

Open list → 🖵 (select entry)

View Press the display key.

Device name and address are displayed.

Back with OK.

Deregistering Bluetooth devices

Open list → □ (select entry)

Options Press the display key.

Delete Entry

Select and press OK.

Please note —

If you deregister an activated Bluetooth device, it may try to reconnect as an "unregistered device".

Changing the name of a Bluetooth device

Open list → 🖵 (select entry)

Options Press the display key.

Edit Name Select and press OK.

Change the name.

Save Press the display key.

Rejecting/accepting an unregistered Bluetooth device

If a Bluetooth device that is not registered in the list of known devices tries to connect with the handset, you will be prompted on the display to enter the PIN for the Bluetooth device (bonding).

◆ Reject



Press the display key.

◆ Accept



Enter the PIN for the Bluetooth device you want to **accept** and press.


If you have accepted the device, you can use it temporarily (i.e. as long as it is within receiving range or until you deactivate the handset) or save it to the list of known devices.

Once the device's PIN has been confirmed

- Save to the list of known devices: press display key Yes.
- Use temporarily: press display key No.

Changing the Bluetooth name of the handset

You can change the handset name used to identify it on the display of another Bluetooth device.





Press the display key.



Change the name. Press the display key.

Handset settings

Your handset is preconfigured, but you can change the settings to suit your individual requirements.

Quick access to numbers and functions

You can assign a **number from the directory** to each of the **digit keys** 0 + and 2 ADD to 9WAYZ.

The left and right **display keys** have a default **function**. You can change the assignment (→ page 70).

The number is then dialled or the function started by simply pressing a key.

Assigning digit keys

Prerequisite: You have not yet assigned a number to the digit key.

Press and hold the digit key
 or
 Press the digit key briefly and press the display key QuickDial.

The directory opens.

Select an entry and press OK.

The entry is saved to the corresponding digit key.

Please note

If you delete or edit the entry in the directory at a later date, this will not affect the assignment to the number key.

Selecting numbers/changing an assignment

Prerequisite: The digit key already has a number assigned to it.

When the handset is in idle status

Press and hold the digit key: The number is dialled immediately.

or

Briefly press the digit key.

Press the display key with the number/ name (abbreviated if necessary) to select the number **or** press the display key Change to change

the assignment or to delete the assignment.

Changing display key assignments

▶ Press and **hold** the left or right side of the display key.

The list of possible key assignments is opened. The following can be selected:

Room Monitor

Assign menu for setting and activating the room monitor to a key (→ page 66).

Alarm Clock

Assign menu for setting and activating the alarm clock to a key (→ page 62).

Calendar

Display graphical calendar (→ page 60).

Bluetooth

Assign the Bluetooth menu to a key (→ page 67).

Redial

Display the redial list.

More Functions...

More features are available:

Call Lists

Display call lists (→ page 40).

INT

Internal calls (→ page 63).

SMS

Assign menu for SMS functions to a key (→ page 44).


Select an entry and press OK.

Changing the display language

You can view the display texts in different languages.



The current language is indicated by a \odot .



If you accidentally choose a language you do not understand:





Select the correct language and press the **right display key**.


Setting the display

Setting the screensaver/slide show

When in idle state, a picture or a slide show (all the pictures are displayed one after the other) from the Screensaver folder of the Resource Directory (→ page 74) or the time can be displayed as a screensaver. This will replace the idle state display.

The screensaver is not displayed in certain situations, e.g., during a call or if the handset is de-registered.

If a screensaver is activated, the **Screensaver** menu option is marked with \checkmark .



→ Screensaver

The current setting is displayed.

▶ You can enter data in the following fields:


Activation:

Select **On** (screensaver is displayed) or **Off** (no screensaver).

Selection:

Select screensaver or

View Press the display key. The active screensaver is displayed.



Save Press the display key.

Briefly press the end call key (a) to return to the idle display.

Please note

If the analogue clock has been set as the screensaver, the second hand is shown only when the handset is in the base.

Setting large font

You can increase the font size of print and symbols in call lists and in the directory to improve readability. Only one entry is shown at a time on the display instead of several entries and names are abbreviated if necessarv.

Change

Press display key ($\mathbf{\Sigma} = \mathsf{on}$).

Setting the colour scheme

You can set the display to be shown in various colour combinations.

→ Colour Schemes

Select Colour Scheme (1 to 5) and press OK.

Setting the display Backlight

Depending on whether or not the handset is in the base/charger, you can activate or deactivate the backlight. If it is activated, the display is permanently dimmed. If the backlight is deactivated it is switched on by pressing any key. Digit keys appear on the display for pre-dialling; all other keys do not have any further functions.

The current setting is displayed.

▶ You can enter data in the following fields:

In Charger

Select On or Off.

Out of Charger Select On or Off.

Please note

With the On setting, the standby time of the handset can be significantly reduced.

Save

Press the display key.

Setting keypad illumination

The brightness of the keypad illumination can be set to one of five levels.

→ Keypad Illumination

The current setting is displayed.

▶ You can enter data in the following fields:

Brightness:

Select 1 (darkest) to 5 (brightest).

Save

Press the display key.

Activating/deactivating auto answer

If you activate this function, when you receive a call you can simply lift the handset out of the base/charger without having to press the talk key .

□ → ► → Telephony → Auto Answer

Change

Press display key ($\overline{M} = on$).

Changing the speaker/ earpiece volume

You can set the loudspeaker volume for handsfree mode and the earpiece volume to five different levels.

During a conversation via the earpiece or in handsfree mode:

(+)/[-]

Press the side key to call up the Handset Volume menu.

Change the volume by pressing

+ (louder) or - (quieter).

Handset settings

or

Press the control key to call up the **Handset Volume** menu. Set the earpiece or speaker volume by pressing \bigcirc .

The setting will automatically be saved after approximately 3 seconds, if not then press the display key Save.

If is assigned to another function, e.g., call swap (→ page 35):

Options Open menu.

Volume Select and press OK. Configure setting (see above).

Please note

- The settings for the earpiece also apply to a connected headset.
- ◆ You can also set the call volume using the menu (→ page 28).

Setting a handsfree profile

You can set different handsfree profiles to optimally adapt your phone to your environment.

Profile 1

The optimum setting for most connections and set as default.

Profile 2

Optimum volume in handsfree mode. However, this means that the participants cannot speak at the same time as the person speaking is given preferential transmission (making two-way conversations difficult).

Profile 3

Optimises two-way conversations, both callers can hear each other, even if they talk at the same time.

Profile 4

Optimised for special connections. If the default setting (profile 1) does not provide optimum sound, please give this a try.

In idle status:

→ Handsfree Profiles

Select handsfree profile (1 to 4).

Select Press the display key to save the setting.

During a conversation:

Options Open menu.

Handsfree Profiles

Select and press OK.

Select handsfree profile (1 to 4).

Select Press the display key to save the setting.

Changing ringtones

♦ Volume:

You can choose between five volumes (1–5; e.g., volume 3 = - = 0) and the "crescendo" ringtone (6; volume increases with each ring = - = 0).

◆ Ringtones:

You can select a ringtone from a list of pre-loaded melodies.

You can select various ringtones, melodies or any sound from the Resource Directory (→ page 74).

You can set different ringtones for the following functions:

- ♦ Int. Calls
- ◆ Extern. Calls

Setting volume/melodies

In idle status:

- → Ringtones(Handset)
- → Volume/Melodies
- Setting volume/melodies for internal calls and anniversaries.
- Scroll to the next line.
- Setting volumes/melodies for external calls.

Save Press the display key to save the setting.

While the phone is ringing, you can permanently change the volume by pressing the side keys + (louder) or - (quieter).



Additionally for external calls:

You can specify a time period when you do not want the telephone to ring, e.g., during the night.



→ Ringtones(Handset) → Time Control

For external calls:

Select On or Off.

If the time control is activated:

Suspend ring. from:

Enter the start of the period in 4-digit format.

Suspend ring. until:

Enter the end of the period in 4-digit for-

Please note

During this period, you will continue to receive calls from numbers to which you have assigned a personalised melody in the directory (VIP).

Activating/deactivating the ringtone for unknown calls

You can set your handset so that it doesn't ring for calls where Calling Line Identification has been withheld (not answering machine). The call will only be signalled on the display.

In idle status:



- → Ringtones(Handset)
- → Anon. Calls Silent

Press Change to activate or deactivate the function ($\mathbf{M} = \mathsf{on}$).

Activating/deactivating the ringtone

You can deactivate the ringtone on your handset before you answer a call or when the handset is in idle status; the ringtone can be deactivated permanently or just for the current call. The ringtone cannot be re-activated while an external call is in progress.

Deactivating the ringtone permanently

***** ^

Press and hold the star key.

The 🏝 icon appears in the display.

Reactivating the ringtone

***** ^

Press and hold the star key.

Deactivating the ringtone for the current call

Silence

Press the display key.

Activating/deactivating the alert tone

In place of the ringtone, you can activate an alert tone. When you receive a call, you will hear a short tone ("Beep") instead of the ringtone.

***** ^

Press and hold the star key and within 3 seconds:

Beep

Press the display key. A call will now be signalled by one short alert tone.

- appears in the display.

Resource Directory

The resource directory on the handset manages sounds, which you can use as ringtones, and pictures, which you can use as caller pictures or as screensavers. Prerequisite: Calling Line Identification (CLIP). The resource directory can manage the following media types:

Туре	Format
Sound	
Ringtones	Internal
Monophonic	Internal
Polyphonic	Internal
Imported sounds	WMA, MP3, WAV
Picture	BMP, JPG, GIF
– Caller picture	128 x 86 pixels
– Screensaver	128 x 160 pixels

Various mono and polyphonic sounds and pictures are preconfigured on your handset.

You can listen to the available sounds and view the pictures.

You can download pictures and sounds from a PC (→ page 86). If there is not enough memory available, you must first delete one or more pictures or sounds.

Playing back sounds/viewing caller pictures

→ ★ → Resource Directory
 → Screensavers / Caller Pictures /
 Sounds (select entry)

Pictures:

View

Press the display key. The selected picture is displayed. Switch between pictures using the (key.

If you have saved a picture in an invalid file format, you will see an error message after selecting the entry.

Sounds:

The selected sound is played back immediately. Switch between the sounds using the \$\bigsir \text{ key.}\$

You can set the volume during playback.

Options Open menu.

Volume Select and press OK.

Set volume.

Save Press the display key.

Deleting/renaming a picture/ sound

You have selected an entry.

Options Open menu.

If a picture/sound cannot be deleted (凸), these options are not available. You can select the following functions:

Delete Entry

The selected entry is deleted.

Rename

Change the name (max. 16 characters) and press Save. The entry is stored with the new name

Checking the memory

You can check how much memory is available for screensavers and caller pictures.

→ Capacity

Activating/deactivating advisory tones

Your handset uses advisory tones to tell you about different activities and statuses. The following advisory tones can be activated/ deactivated independently of each other:

- ◆ **Key tone**: every key press is confirmed.
- Acknowledge tones:
 - Confirmation tone (ascending tone sequence): at the end of an entry/setting and when an SMS or a new entry arrives in the answering machine list or call list
 - Error tone (descending tone sequence): when you make an incorrect entry
 - Menu end tone: when scrolling to the end of a menu
- ◆ Battery low beep: the battery needs charging.

In idle status:



→ Advisory Tones

You can enter data in the following fields:

Key Tones:

Select On or Off.

Confirmation:

Select On or Off.

Battery:

Select On or Off.

Save

Press the display key.

Setting your own area code

To transfer phone numbers (e.g., in vCards), it is essential that your area code (international and local area code) is saved on the phone.

Some of these numbers are already preset.

→ → Telephony → Area Codes

Check that the (pre)set area code is correct.

▶ You can enter data in the following fields:

Select/change input field.

Navigate in the input field. < C

If necessary, delete number:

press the display key.

Enter number. Save

Press the display key.

Example:



Restoring the handset default settings

You can reset individual settings and changes that you have made.

The following settings are **not** affected by a reset:

- Registration to the base
- Date and time
- Entries in the calendar
- Entries in the directory, the call lists, the SMS lists and the content of the resource directory



Press the display key. Yes

Setting the base

The base settings are carried out using a registered Gigaset S810H handset.

Changing the base **Gigaset S810A ringtones**

Volume:

You can choose between five volumes $(0-6; e.g., volume 3 = \blacksquare \equiv)$ and the "crescendo" ringtone (6; volume increases with each ring = $_====$ 1).

Ringtones:

You can select a ringtone from a list of pre-loaded melodies.

In idle status:

→ Ringtones (Base)

You can enter data in the following fields:

Set volume.

Scroll to the next line.

 \bigcirc Set melody.

Save Press the display key to save the settina.

Activating/deactivating music on hold

→ Audio Settings → Music on hold

Press Change to activate or deactivate the music on hold ($\mathbf{M} = \mathsf{on}$).

Repeater support

With a repeater, you can increase the range and signal strength of your base. You will need to activate repeater mode. This will terminate any calls that are in progress at the

Prerequisite: A repeater is registered.

→ ✓ → System → Repeater Mode

Press Change to activate or deactivate repeater mode ($\mathbf{M} = \mathsf{on}$).

After activating or deactivating the repeater, switch your handset off and on again (\rightarrow page 23).

Please note

- ◆ Eco Mode / Eco Mode+ (→ page 59) and repeater support cancel each other out, i.e., if you use a repeater, you cannot use Eco Mode or Eco Mode+.
- Encrypted transmission activated at the factory is deactivated when a repeater is registered.


Protecting against unauthorised access


Protect the system settings of the base with a PIN known only to yourself. The system PIN must be entered when, for example, registering/de-registering a handset to/from the base or when restoring the default settings.

Changing the system PIN

You can change the 4-digit system PIN set on the base (default setting: **0000**) to a 4-digit PIN known only by you.

Gigaset S810A: Setting a system PIN facilitates remote operation of the answering machine (→ page 56).







Resetting the system PIN

If you have forgotten your system PIN, you can reset the base to the original code **0000**:

Disconnect the power cable from the base. Hold down the registration/paging key on the base while reconnecting the power cable to the base. Hold down the key for at least 5 seconds.

The base has now been reset and the system PIN set to **0000**.


Please note

All handsets are de-registered and must be re-registered. All settings are reset to the factory settings.

Resetting the base to the factory settings

When the settings are restored:

- Date and time are retained
- Handsets are still registered
- Eco Mode is activated and Eco Mode+ is deactivated,
- ◆ The system PIN is not reset.





Enter the system PIN and press OK.



Press the display key.

Connecting the base to the PABX

The following settings are only necessary if your PABX requires them; see the PABX user guide.

You cannot send or receive SMS messages on PABXs that do not support Calling Line Identification.



The current setting is indicated by

.

Setting recall

Your phone is preset at the factory for operation on the main connection. For operation on a PABX, you may have to change this value. Please refer to the user guide for your PABX.





Select recall and press Select (= set value).Possible values are: 80 ms, 100 ms, 120 ms, 180 ms, 250 ms, 300 ms, 400 ms, 600 ms, 800 ms.

Saving an access code (outside line code)

Prerequisite: You may have to enter an access code in front of the number for external calls in your PABX, e.g., "0".





Enter or change access code, max. 3 digits.

Save

Press the display key.

If an access code has been saved:

- The access code is prefixed automatically when you dial a number from the following lists: SMS centre numbers, call lists or answering machine list.
- ◆ The access code must be entered when dialling manually and when manually entering directory, emergency/quick dial numbers or SMS centre numbers.
- ◆ If you copy the recipient's number from the directory when sending an SMS, you have to delete the access code.
- An existing access code is deleted using < C.

Setting pauses


Changing the pause after line seizure

You can change the length of the pause that is inserted between pressing the talk key and sending the number.

☐ Open the main menu.

* △ # → ○ ○ + ○ 5 JKL # → ○ 1 △ ○ 6 MNO

Press keys.




Change pause after recall key

You can change the length of the pause if your PABX requires this (refer to the user guide for your PABX).

Open the main menu.

★ △ # → ○ 0 + ○ 5 , κ. ○ # → ○ 1 ∞ ② ∠ ABC

Press keys.



Changing a dialling pause (pause after access code)

Prerequisite: You have saved an access code (→ page 78).



Enter number for the length of the pause (1 = 1 sec.; 2 = 2 secs.; 3 = 3 secs.; 4 = 6 secs.) and press OK.

To insert a dialling pause: press and hold R for 2 seconds. A P appears in the display.

Customer Service & Assistance

Do you have any questions? As a Gigaset customer, you can find help quickly in this User Manual and in the service section of our Gigaset online portal www.gigaset.com/service.

Please register your phone online right after purchase. This enables us to provide you with even better service regarding questions or a warranty claim. In order to contact our customer service via email, please use the email contact form from our Gigaset online portal after selecting your home country. Our representatives are also available on the telephone hotlines for consultation.

Australia
höchstens 0,42 € pro Minute. Greece
India

verso la rete di altri operatori fissi o mobili con- sultate le tariffe del vostro operatore)
Jordan 00962 6 5625460/1/2
Kuwait+965 -22458737/22458738
Lebanon+9611240259/ +9611236110
Luxembourg+352 8002 3811
Malaysia+603-8076 9696
Malta+390 2360 46789 (0,10 €)
Mexico 01800 999 4442738 (01800 999 GIGASET)
,
Netherlands
het mobiele netwerk kunnen andere prijzen
gelden.)
New Zealand
Norway
(Oppstartskost 89 øre + 15 øre pr minutt fra
fasttelefon linje. For samtaler fra mobil vil det
gjelde egne priser.)
Oman+968 709281 Ext. 49/21/75
Poland
Portugal(351) 808 781 223
(custo de uma chamada local)
Romania+40 021 204 9130
Russia8 (495) 2281312
Serbia
Singapore6735 9100
Slovak Republic 02 59 68 22 66 (4,428 sk)
Slovenija 0 14 74 63 36
South África+2711 46 13 181
Spain902 103935
Sweden
Switzerland 0848 212 000
Taiwan
Turkey 0216 459 98 59
Ukraine
United Arab Emirates +97144458255/
+97144458254
United Kingdom 0 84 53 67 08 12
USA1-866 247-8758
Vietnam

Please have your record of purchase ready when calling.

Replacement or repair services are not offered in countries where our product is not sold by authorised dealers.

Questions and answers

If you have any questions about the use of your phone, you can contact us 24/7 at www.gigaset.com/service.

The table below contains a list of common problems and possible solutions.

Registration or connection problems with a Bluetooth headset.

- Reset the Bluetooth headset (see the user quide for your headset).
- Delete registration data from the handset when deregistering the device (→ page 68).
- ▶ Repeat the registration process (→ page 68).

The display is blank.

- 1. The handset is not switched on.
 - ▶ Press and **hold** the end call key **③**.
- 2. The battery is empty.
 - Charge the battery or replace it (→ page 12).

Not all menu items are displayed.

The menu display is restricted (standard mode).

No Base flashes on the display.

- 1. The handset is outside the range of the base.
 - Move the handset closer to the base.
- The base's range is reduced because Eco Mode is activated.
 - Deactivate Eco Mode (→ page 59) or reduce the distance between the handset and the base.
- 3. The base is not switched on.
 - Check the base power adapter
 (→ page 10).

Please register handset flashes on the display.

Handset has not been registered with the base or has been deregistered.

▶ Register the handset (→ page 62).

Handset does not ring.

- 1. The ringtone is deactivated.
 - ▶ Activate the ringtone (→ page 73).
- 2. Call divert set for "All Calls".
 - ▶ Deactivate call divert (→ page 34).
- 3. The phone only rings if the phone number has been transferred.
 - Switch on the ringtone for unknown calls
 (→ page 73).

You cannot hear a ringtone/dialling tone from the fixed line network.

The phone cord supplied has not been used or has been replaced by a new cord with the wrong pin connections.

 Please always use the phone cord supplied or ensure that the pin connections are correct when purchasing from a retailer (→ page 10).

The connection always terminates after approx. 30 seconds.

Repeater activated/deactivated (→ page 76).

Activate/deactivate the handset
 (→ page 23).

Error tone sounds after system PIN prompt.

You have entered the wrong system PIN.

▶ Reset the system PIN to 0000 (→ page 77).

Forgotten the system PIN.

▶ Reset the system PIN to 0000 (→ page 77).

The other party cannot hear you.

You have pressed the mute button . The handset is "muted".

▶ Reactivate the microphone (→ page 32).

The number of the caller is not displayed despite CLIP.

Calling Line Identification is not enabled.

▶ The caller should ask the network provider to enable Calling Line Identification (CLI).

You hear an error tone when keying an input (a descending tone sequence).

Action has failed/invalid input.

 Repeat the operation.
 Watch the display and refer to the user guide if necessary.

You cannot listen to messages on the network mailbox.

Your PABX is set for pulse dialling.

Set your PABX to tone dialling.

Gigaset S810A only:

No time is specified for a message in the call list.

Date and time have not been set.

▶ Set the date and time (→ page 16).

The answering machine announces "PIN is incorrect" during remote operation.

- 1. You have entered the wrong system PIN.
 - ▶ Enter the system PIN again.
- 2. The system PIN is still set to 0000.
 - ➤ Set the system PIN to something other than 0000 (→ page 77).

The answering machine is not recording any messages/has switched over to answer only.

- Its memory is full.

 Delete old messages.
- Play back new messages and delete.

Exclusion of liability

Some displays may contain pixels (picture elements), which remain activated or deactivated. As a pixel is made up of three sub-pixels (red, green, blue), it is possible that pixel colours may vary.

This is completely normal and does not indicate an error.

Authorisation

This device is intended for analogue phone lines in your network.

Country-specific requirements have been taken into consideration.

We, Gigaset Communications GmbH, declare that this device meets the essential requirements and other relevant regulations laid down in Directive 1999/5/EC.

A copy of the 1999/5/EC Declaration of Conformity is available at this Internet address: www.gigaset.com/docs

€ 0682

Protecting our environment

Our environmental mission statement

We, Gigaset Communications GmbH, bear social responsibility and are actively committed to a better world. Our ideas, technologies and actions serve people, society and the environment. The aim of our global activity is to secure sustainable life resources for humanity. We are committed to a responsibility for our products that comprises their entire life cycle. The environmental impact of products, including their manufacture, procurement, distribution, use, service and disposal, are already evaluated during product and process design.

Further information on environmentally friendly products and processes is available on the Internet at www.gigaset.com.

Environmental management system



Gigaset Communications GmbH is certified pursuant to the international standards EN 14001 and ISO 9001.

ISO 14001 (Environment): certified since September 2007 by TüV SÜD Management Service GmbH.

ISO 9001 (Quality): certified since 17/02/ 1994 by TüV SÜD Management Service GmbH.

Ecological energy consumption

The use of ECO DECT (→ page 59) saves energy and makes an active contribution towards protecting the environment.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic equipment must be disposed of separately from general household waste using the sites designated by local authorities.



If a product displays this symbol of a crossed-out rubbish bin, the product is subject to European Directive 2002/96/EC.

The appropriate disposal and separate collection of used equipment serve to prevent potential harm to the environment and to health. They are a precondition for the re-use and recycling of used electrical and electronic equipment.

For further information on disposing of your used equipment, please contact your local authority, your refuse collection service.

Appendix

Caring for your telephone

- Wipe the device with a damp cloth or an antistatic cloth. Do not use solvent or a microfibre cloth.
- Impairments in the high-gloss finish can be carefully removed using display polishes for mobile phones.

Never use a dry cloth as this can cause static.

Contact with liquid



If the device comes into contact with liquid:

- Unplug the power supply and/or remove the battery from the handset immediately.
- 2. Allow the liquid to drain from the device.
- Pat all parts dry. Place the device (handset with the battery compartment open and the keypad facing down) in a dry, warm place for at least 72 hours (not in a microwave, oven etc.).
- 4. Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Specifications

Batteries

Technology:

Nickel-metal-hydride (NiMH)

Size: AAA (Micro, HR03)

Voltage: 1.2 V

Capacity: 550 - 1000 mAh

The device is supplied with two approved

batteries.

Handset operating times/charging times

This Gigaset can charge batteries up to a capacity of 1000 mAh. The use of special high-performance batteries or batteries with high capacities is not recommended for cordless phones.

The operating time of your Gigaset depends on the capacity and age of the batteries and the way they are used. (All times are maximum possible times).

	Capacity (mAh) approx.				
	550 700 800 100				
Standby time (hours)*	140/ 50	165/ 58	185/ 67	230/ 83	
Talktime (hours)	11	12	14	17	
Operating time for 1.5 hrs of calls per day (hours)**	85	95	110	135	
Charging time in base (hours)	7.5	8.5	10	12	
Charging time in charger (hours)	6.5	7.5	8.5	10.5	

- * without/with display backlight
- ** without display backlight

(Setting the display Backlight → page 71)

Due to the constant progression in battery development, the list of recommended batteries in the FAQ section of the Gigaset Customer Care pages is regularly updated:

www.gigaset.com/service

Base power consumption

In standby mode:

Gigaset S810: approx. 1.1 watt Gigaset S810A: approx. 1.2 watt

During the conversation:

Gigaset S810: approx. 1.0 watt Gigaset S810A: approx. 1.1 watt

General specifications


DFCT

DECT standard	Is supported
GAP standard	Is supported
No. of channels	60 duplex channels
Radio frequency range	1880–1900 MHz
Duplex method	Time multiplex, 10 ms frame length
Pulse repetition rate	100 Hz
Pulse transmission length	370 μs
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	10 mW average power per channel, 250 mW pulse power
Range	Up to 300 m outdoors, up to 50 m indoors
Base power supply	230 V ~/50 Hz
Environmental conditions in operation	+5°C to +45°C, 20% to 75% relative humidity
Dialling mode	DTMF (tone dialling)

Bluetooth

Radio frequency range	2402-2480 MHz
Transmission power	4 mW pulse power

Pin connections on the telephone jack



- 1 unused 2 unused
- 3 a
- 4 b
- 5 unused 6 unused

Writing and editing text

The following rules apply when writing text:

- ◆ Each key between 0 + and 9wxxz is assigned several letters and characters.
- ◆ Control the cursor with ② □ □ □. Press and **hold** ② or □ to move the cursor **word by word**.
- Characters are inserted at the cursor position.
- ◆ Press the star key ★ a to display the table of special characters. Select the required character and press the display key Insert to insert the character at the cursor position.
- Press and hold 0 + to 9wxz to enter digits.
- Press display key C to delete the character to the left of the cursor. Press and hold to delete the word to the left of the cursor.
- The first letter of the name of directory entries is automatically capitalised, followed by lower case letters.

Setting upper/lower case or digits

Repeatedly press the hash key # o change the text input mode.

123	Writing digits
Abc	Upper case *
abc	Lower case

^{*} First letter in capitals, all others in lower case

The active mode is indicated at the bottom right of the screen.

Writing an SMS/names

▶ Enter the individual letters/characters by pressing the corresponding key.

The characters assigned to the key are shown in a selection line at the bottom left of the screen. The selected character is highlighted.

Briefly press the key several times in succession to select the required letter/character.

Standard characters

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
1 🚥	1									
2 ABC	а	b	С	2	ä	á	à	â	ã	Ç
3 DEF	d	е	f	3	ë	é	è	ê		
4 gHI	g	h	i	4	ï	í	ì	î		
5 JKL	j	k	ı	5						
6 _{MN0}	m	n	0	6	ö	ñ	ó	Ò	ô	õ
7 _{PQRS}	р	q	r	S	7	ß				
8 тич	t	u	٧	8	ü	ú	ù	û		
9 _{wxyz}	w	Х	у	Z	9	ÿ	ý	æ	Ø	å
0 +	1)		,	?	!	4 ²⁾	0			

- 1) Space
- 2) Line break

Additional functions via the PC interface

To enable your handset to communicate with the PC, the "Gigaset QuickSync" program must be installed on your PC (free to download at www.gigaset.com/gigasets810).

After installing "Gigaset QuickSync", connect the handset to your computer using Bluetooth (→ page 67) or via a USB data cable (→ page 18).

Please note

Please connect your handset **directly** to the PC; do **not** connect via a USB hub.

If you want to use the Bluetooth connection, your computer must be equipped with a suitable dongle.

Please note

- If the USB data cable is plugged in, a Bluetooth connection cannot be established.
- If a USB data cable is plugged in during an existing Bluetooth connection, the Bluetooth connection is cancelled.

Transferring data

Start the **"Gigaset QuickSync"** program. You can now:

- Synchronise your handset directory with Outlook
- ◆ Download caller pictures (.bmp) from the computer to the handset,
- Download pictures (.bmp) as a screensaver from the computer to the handset.
- Download sounds (ringtones) from the computer to the handset.

During the transfer of data between handset and PC, you will see **Data transfer in progress** on the display. During this time the keypad is disabled, and incoming calls will be ignored.

Completing a firmware update

- ➤ Connect you phone to your PC using a USB data cable (→ page 18).
- Start the "Gigaset QuickSync" program on your PC.
- ▶ Establish a connection to your handset.
- ► Select [Settings] → [Device properties] to open the [Device] tab.
- ▶ Click on [Firmware update].

This launches the firmware update.

The update process can take up to 10 minutes (not including the download time). Do not interrupt the process or remove the USB data cable.

The data is initially loaded from the update server on the Internet. The amount of time this takes is dependent on the speed of your Internet connection.

The display on your phone is switched off and the message key and the talk key start flashing.

Once the update is complete, your phone will automatically restart.

Procedure in case of an error

If the update procedure fails or your phone does not work properly following the update, repeat the update procedure as follows:

- Close the "Gigaset QuickSync" program on the PC.
- Remove the USB data cable from the telephone.
- ▶ Remove the battery (→ page 12).
- ▶ Replace the battery.
- Complete the firmware update as described.

If the update procedure fails several times or you can no longer connect to the PC, proceed as follows (emergency update):

- Close the "Gigaset QuickSync" program on the PC.
- Remove the USB data cable from the telephone.
- ▶ Remove the battery (→ page 12).

▶ Press and hold keys 4 onl and 6 with the index and middle finger.



- ▶ Replace the battery.
- ▶ Release keys 4 and 6 MINO. The message key and the talk key ✓ will flash alternately.
- ▶ Complete the firmware update as described.

Please note

Personal pictures and sounds that you have loaded to your handset should always be saved on your PC as they will be deleted during an **emergency update**.

Accessories

Gigaset handsets

Upgrade your Gigaset to a cordless PABX:

Gigaset S810H handset

- ◆ Brilliant sound quality in handsfree mode
- ◆ High-quality genuine metal keypad with illumination
- ◆ Plus/minus key for simple volume control
- ◆ 1.8′′ TFT colour display
- ◆ Bluetooth® and mini USB
- Directory for up to 500 vCards
- ◆ Talk/standby time of up to 13h/180h, standard batteries
- Large font for call lists and directory
- Brilliant sound quality in handsfree mode:
 4 handsfree settings
- Caller pictures, screensaver (analogue and digital clock)
- ◆ Download ringtones
- ◆ ECO DECT
- ◆ Alarm clock
- Calendar with appointment scheduler
- ◆ Night mode with time-controlled ringtone deactivation
- No interruptions from unknown calls
- ◆ Room monitor (Babyphone), One Touch Call mode
- ◆ SMS with up to 640 characters

www.gigaset.com/gigasets810h

Gigaset C610H handset

- Social life management with room monitor and birthday reminders
- ◆ Individual programming of ringtones with 6 VIP-groups
- High-quality keypad with illumination
- ◆ 1.8" TFT colour display
- Directory for up to 150 vCards
- ◆ Talk/standby time of up to 12h/180h, standard batteries
- ◆ Large font for call lists and directory
- ◆ Brilliant sound quality in handsfree mode
- Screensaver (digital clock)
- ◆ ECO DECT
- Alarm clock
- ◆ Night mode with time-controlled ringtone deactivation
- ◆ No interruptions from unknown calls
- ◆ Room monitor (Babyphone), One Touch Call mode
- SMS with up to 640 characters

www.gigaset.com/gigasetc610h





Gigaset SL400 handset

- Genuine metal frame and keypad
- ♦ High-quality keypad illumination
- ◆ 1.8" TFT colour display
- ◆ Bluetooth® and mini USB
- ◆ Directory for up to 500 vCards
- ◆ Talk/standby time of up to 14h/230h
- ◆ Large font for call lists and directory
- Brilliant sound quality in handsfree mode:
 4 handsfree settings
- Caller pictures, slide show and screensaver (analogue and digital clock)
- ◆ Silent alert, download ringtones
- **◆** ECO DECT
- ◆ Alarm clock
- Calendar with appointment scheduler
- Night mode with time-controlled ringtone deactivation
- ◆ No interruptions from unknown calls
- ◆ Room monitor (Babyphone), One Touch Call mode
- ◆ SMS with up to 640 characters

www.gigaset.com/gigasetsl400

Gigaset SL78H handset

- ◆ Real metal frame
- ◆ Modern keypad with high-quality illumination
- ◆ 2.2" TFT QVGA colour display
- ◆ Bluetooth® and mini USB
- ◆ Directory for up to 500 vCards
- ◆ Talk/standby time of up to 14h/200h
- ◆ Brilliant sound quality in handsfree mode
- Caller pictures, slide show and screensaver (analogue and digital clock)
- ◆ Download ringtones
- ◆ ECO DECT
- Alarm clock
- Calendar with appointment scheduler
- ◆ Night mode with time-controlled ringtone deactivation
- Room monitor (Babyphone)
- ◆ SMS with up to 640 characters

www.gigaset.com/gigasetsl78h





Gigaset E49H handset

- Resistant to shocks, dust and water splashes
- Hardy illuminated keypad
- ◆ Colour display
- ◆ Directory for up to 150 entries
- Talk/standby time of up to 12h/250h Standard batteries
- Brilliant sound quality in handsfree mode
- ◆ Screensaver
- ◆ ECO DECT
- Alarm clock
- Room monitor (Babyphone)
- ◆ SMS with up to 640 characters

www.gigaset.com/gigasete49h

L410 handsfree clip for cordless phones

- Move during a call without any restrictions
- Handy clip belt
- ◆ Brilliant sound quality in handsfree mode
- Simple to transfer calls from the handset
- ♦ Weight approx. 30 g
- ◆ ECO-DECT
- Five different volume levels
- Status indication via LED
- ◆ Talk/standby time of up to 5 h/120 h
- ◆ Range of up to 50 m indoors and up to 300 m outdoors

www.gigaset.com/gigasetl410

Gigaset repeater

The Gigaset repeater can be used to increase the reception range between your Gigaset handset and the base.

www.gigaset.com/gigasetrepeater





Compatibility

For more information on handset functions in relation to Gigaset bases, please visit: www.gigaset.com/compatibility

All accessories and batteries are available from your phone retailer.




Use only original accessories. This will avoid possible health risks and personal injury, and also ensure that all the relevant regulations are complied with.






Mounting the base on the wall (Gigaset S810 only)



Mounting the charger on the wall



Index

Α	
Access code	78
for a PABX	
Access protection	
Accessories	
Acknowledge tones	
Activating	
advisory tones	75
answering machine	
answering machine	
(remote operation)	57
appointment	
handset	
keypad lock	
listening in	
muting ringtone	
room monitor	
two-way record	
Advisory tones	
Alarm clock	
Alert tone	
Anniversary	
deactivating	
missed42,	
saving in the directory	
Announcement (answering machine)	55
Answer only mode (answering	23
machine)	E 2
Answering machine	
activating/deactivating	
deleting messages	
list	
playing back messages	53
recording a personal	
announcement/advisory	
message	52
remote operation	56
scrolling back	54
scrolling forward	54
skip-back function54,	57
Answering machine, see also	
Network mailbox	

Appointment 6	U
Appointment/anniversary	
display missed 6	1
Appointments	
activating/deactivating6	1
deleting 6	
managing 6	
Area code	
setting own area code	5
Assigning a number key 6	g
Authorisation	
Auto answer	
Automatic	•
network provider preselection 4.	3
redial	
redial	u
В	
Babyphone	6
Backlight	
keypad7	1
Base	•
changing6.	2
connecting10	
connecting to PABX	o
restoring to FABA	
setting ringtone	
setting up	_
settings	
system PIN 7	/
Battery	
charging	
display	
icon	3
inserting 1	2
tone 7.	5
Best base 6.	3
Birthday, see Anniversary	
Bluetooth	
accepting a call	C
activate 6	7
changing device name 68, 69	
deregistering devices	
list of known devices 6	
registering devices 6	
transferring directory (vCard) 3	

С	CLI, CLIP30
Calendar	Colour scheme
Call	Conference
accepting 30	internal 64
accepting (Bluetooth) 30	Confirmation tone
connect participant	Connecting
ending	base to PABX 78
external	headset
internal	Consultation call 34
picking up from answering	internal 64
machine 54	Control key
transferring (connecting) 64, 65	Correcting incorrect entries 21
two-way record	Customer Care 80
Call divert	Customer Service & Assistance 80
Call duration	D
Call lists	
Call screening during recording 55	Deactivating
Call swap	advisory tones
Call waiting	answering machine 52
accepting/rejecting 33	appointment
activating/deactivating	handset
external call	keypad lock 23
internal call	listening in
Call-by-call	muting ringtone
Caller Picture	room monitor
Calling	two-way record
external	Delete key
internal 63	Deleting
Calling line display, notes 31	announcement for answering
Calling Line Identification 30	machine
Cancelling	characters
preselection	message 54
Care of the telephone 83	De-registering (handset)
Caring for your telephone	Deregistering devices (Bluetooth) 68
CD, see Call divert	Destination number (room monitor) 66
Changing	Dialling
destination number (room monitor) 67	using quick dial
device name (Bluetooth)68, 69	using the directory
dialling mode	Dialling pause
display language15, 70	Directory
earpiece volume	copying number from text
internal number of a handset 65	managing entries
name of a handset 65	opening
pauses	order of entries
ringtone72, 76	saving anniversary
speaker volume71	saving entry
system PIN 77	saving sender's (SMS) number
Character set	sending entry/list to handset
Charge status display 2, 3	transferring a vCard (Bluetooth) 38
j ,	using to enter numbers 39

Index

Display	Group call	63
backlight71	н	
changing display language 15, 70	• •	
colour scheme	Handset	
directory memory	activating/deactivating	
in idle status	advisory tones	
memory (resource directory) 74	changing internal number	
missed anniversaries 42	changing name	
missed appointments/	changing the number	
anniversaries 61	changing to a different base	
network mailbox message 58	changing to best reception	
number (CLI/CLIP)30	colour scheme	
screensaver70	contact with liquid	
setting	de-registering	
slide show70	display backlight	
Display keys 2, 21	display language	
assigning69	earpiece volume	
Disposal	idle status	
Draft message list (SMS)	keypad backlight	71
	large font	71
E	list	20
Earpiece volume 71	locating	63
ECO DECT 59	muting	32
Eco mode 59	paging	63
Eco mode+	registering	62
E-mail address	registering to a different base	63
copying from the directory 39	restoring to factory settings	75
End call key	screensaver	70
Ending, call	set up for use	12
Entry	setting	
saving, changing (preselection) 43	speaker volume	71
selecting from directory 37	transferring a call	
Environment82	using multiple	
Error tone	using room monitor	
Expert mode	Handset mode	
External call	Handset operating time	
call waiting	in room monitor mode	66
forwarding to ans. mach 55	Handsfree	
_	key	2
F	set profile	
Fast access	Handsfree mode	
answering machine 56	Handsfree profile	
network mailbox58	Hash key	
Firmware update 86	Headset (Bluetooth)	67
Flashing of the message key	Headset socket	18
disable/enable42	Hearing aids	
G	Help	
General troubleshooting 81	•	
General HOUDIESDOONDO X I		

1	L
Icon	Language
alarm clock 62	display
answering machine52, 55	Large font
for new messages 41	Linking, see SMS
keypad lock 23	List
new message 53	answering machine 40, 41
new SMS	call lists 40
ringtone	handsets 20
Idle status (display) 17, 23	known devices (Bluetooth) 68
Idle status, returning to 23	missed calls 40
Incoming message list (SMS) 46	network mailbox41
Incorrect entries (correction) 21	SMS draft message list45
Info services (SMS) 50	SMS incoming message list 46
Installing, base	SMS list 41
Internal	Listening in to a call 65
conference	Locating, handset 63
consulting 64	Lock
listening in 65	activating/deactivating keypad
making calls 63	lock
Internal call	
call waiting	M
_	Mailbox ID, see SMS
K	Mailboxes, see SMS
Key	Making calls
assigning to a function or	accepting a call 30
number 69	cost-effective calls 43
Key 1 (fast access) 2, 56	external
Keypad backlight	internal 63
Keypad lock	Manual redial 40
Keys	Medical equipment8
control key 2, 20	Memory
delete key	directory 38
display keys	resource directory 74
end call key	Menu
fast access	end tone
handsfree key2	opening
hash key 2, 23	overview 26
message key2	using 22
mute key	Menu display
on/off key	expert mode
quick dial	standard mode
recall key	Message key
side keys2	disable/enable flashing
star key2	open list
talk key	opening lists41

Index

Messages 52	Package contents
copying the number to the	Paging 6.
directory 54	Pause
deleting 54	after access code
key2	after line seizure 79
marking as "new" 54	after recall key
new message icon 53	PC interface 8
playing back53	Picture
Microphone2	Caller
Missed	deleting
anniversary 61	renaming
appointment 61	PIN change
Missed calls	system PIN 7
Music on hold	Pin connections
Mute key2	Playing back
Muting	announcement (answering
first ringtone 46	machine)5
handset	message (answering machine) 5
	Power adapter
N	Power consumption
Name of a handset 65	Preselection 4
Network mailbox 58	cancelling
Network provider preselection,	Protecting the phone against access 7
automatic	rocceling the phone against access 7
Network services	Q
Night mode see Time Control	Questions and answers 8
Notification via SMS 48	Quick dial
Number	
as destination for room monitor 66	R
copying from an SMS text 47	Range1
copying from directory	Recall 78
copying to the directory	Recall key
displaying caller's number (CLIP) 30	Reception booster, see Repeater
entering with directory	Recording
saving in directory	quality
	time 5.
0	two-way record 5
On/Off key2	Redial 4
One Touch Call	Redirect, see Call divert
Operating remotely 56	Registering (handset) 6.
Order in directory 37	Registering devices (Bluetooth) 68
P	Reminder call
•	Repeater
PABX	Resource directory 74
connecting base	Ringback
pauses	Ringtone
saving access code	changing72, 70
setting dialling mode	muting 4
setting recall	setting volume72, 70
SMS 50	-

Ringtone deactivated for unknown call	Snooz Sound
Room monitor	Specia
S	Specif
Saving (access code). 78 Screensaver. 70 Search directory 37 Sending	Stand Star k Syster T
directory entry to handset 38	Talk k
Sensitivity (room monitor) 66 Setting the date 16 Setting the time 16 Setting up	Telepl Text n Three Time
handset	Tone
Side keys	Troub
Signal tone, see Advisory tones	Two V
Skip-back function	
(answering machine) 54, 57 Slide show	U Updat
SMS44	USB c
active send service centre 49	V
changing mailbox49	vCard
deleting45, 47	Viewi
draft message list 45	n
forwarding 47	Volun
incoming message list 46	ear
info services 50	han
linked	lou
list 41	ring
mailbox ID48	
mailboxes 48	W
notification by SMS48	Warni
PIN protection	Writin
reading	Writin
receiving	
replying to or forwarding 47	
saving number	
self help with error messages 51	
sending to a personal mailbox 49	
sending to an e-mail address	
status report	
to PABXs	
vCard	
writing	
SMS centre	
changing number	
setting	
<u> </u>	

Snooze mode	52
Special functions	33 31 .2
Т	
Talk key2, 2 Telephone jack, pin connections 8 Text message, see SMS	34
Three-party conference	73 78 51
U	
Update	
V	
vCard (SMS) Viewing the network mailbox	
message	58
Volume earpiece	71 71
W	
Warning tone, see Advisory tones Writing (SMS)	

Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2011 All rights reserved. Subject to availability. Rights of modification reserved.